

RESOLUTION No. 25-318Date of Adoption SEP 04 2025

Approved as to Form and Legality

WESLEY BRIDGES, ESQ., DIRECTOR OF LAW

Factual content certified by

STEVE WILSON, DIRECTOR OF POLICE

Councilman /woman _____ presents the following Resolution:

SPONSORED BY: _____

RESOLUTION ACCEPTING A BID AND AWARDING A CONTRACT TO GALLS, LLC FOR THE FURNISHING AND DELIVERY OF UNIFORMS FOR TRENTON POLICE FOR THE DEPARTMENT OF POLICE FOR A PERIOD OF ONE (1) YEAR FROM THE DATE OF AWARD IN AN AMOUNT NOT TO EXCEED \$112,500.00 WITH THE OPTION TO EXTEND ONE (1) ADDITIONAL YEAR—BID2025-54

WHEREAS, three (3) sealed bids were received in the Division of Purchasing on May 16, 2025, at 11:00 am, by the Purchasing Agent for the Furnishing and Delivery of Uniforms for Trenton Police for the City of Trenton, Department of Police; and

WHEREAS, the bid of Action Uniforms, LLC, submitted L/S female shirts, S/S female shirts, L/S male shirts, S/S male shirts as substitutions, the color was incorrect and deviates from the bid specifications and requirements. The reviewers researched the items on their website and the items are not in compliance with the needs of the department; and

WHEREAS, the bid of Uniform Warehouse, Inc, did not submit acknowledgement of Addendum No.1 issued on May 2, 2025 which is mandatory. Therefore, their bid is considered fatal; and

WHEREAS, the bid of Galls LLC, 1340 Russell Cave Road, Lexington, Kentucky 40505, is made pursuant to the advertisement, be and is hereby accepted, as the lowest, responsible, responsive bidder complying with terms, requirements and specifications on file in the Division of Purchasing; and

WHEREAS, funds in an amount not to exceed \$112,500.00 have been certified to be available in the following account number: 5-01- -50-5000-303. This contract shall be awarded for a period of one (1) year from the date of the award with the option to extend one (1) additional year in an amount not to exceed \$112,500.00 contingent upon the temporary and final adoption of CY' 26; and

NOW, THEREFORE, BE IT RESOLVED, by the City Council of the City of Trenton that the Mayor is hereby authorized to execute a contract with Galls, LLC, 1340 Russell Cave Road, Lexington, Kentucky 40505, for the Furnishing and Delivery of Uniforms for Trenton Police for the City of Trenton, Department of Police for a period of one (1) year in an amount not to exceed \$112,500.00 from the date of award for the said purposes in the manner prescribed by law.

MOTION: <i>Frисby</i>						SECOND: <i>Feliciano</i>								
	Aye	Nay	Abstain	Absent		Aye	Nay	Abstain	Absent		Aye	Nay	Abstain	Absent
EDWARDS	<input checked="" type="checkbox"/>				FRISBY	<input checked="" type="checkbox"/>				GONZALEZ	<input checked="" type="checkbox"/>			
FELICIANO	<input checked="" type="checkbox"/>				HARRISON	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>					
FIGUEROA KETTENBURG				<input checked="" type="checkbox"/>	WILLIAMS	<input checked="" type="checkbox"/>								

This Resolution was adopted at a Meeting of the City Council of the City of Trenton on

SEP 04 2025

President of Council

City Clerk

PURCHASING

AGREEMENT

CITY OF TRENTON, NEW JERSEY

BID2025-54

RES. NO. 25-318

AWARDED TO GALLS, LLC

FOR THE FURNISHING AND DELIVERY OF UNIFORMS FOR TRENTON POLICE FOR THE DEPARTMENT OF POLICE

This Agreement, entered into this 5TH Day of SEPTEMBER 2025 between the City of Trenton, a municipal corporation of the State of New Jersey, 'CITY' **319 EAST STATE STREET, TRENTON, NEW JERSEY 08608** and **GALLS LLC, 1340 RUSSELL CAVE ROAD, LEXINGTON, KENTUCKY 40505** ("Contractor"), witnesseth that:

WHEREAS, Contractor has bid, proposed or offered to furnish and deliver to the City the materials, supplies and/or goods to perform the services **IN AN AMOUNT NOT TO EXCEED \$112,500.00 FOR A PERIOD OF ONE (1) YEAR FROM THE DATE OF THE AWARD WITH THE OPTION TO EXTEND ONE (1) ADDITIONAL YEAR IN AN AMOUNT NOT TO EXCEED \$112,500.00**.

FIRST, A. Contractor, under the penalty expressed in the bond hereinafter mentioned, will furnish, supply and deliver to the City of Trenton the following materials, supplies or services as authorized by:

RESOLUTION ACCEPTING A BID AND AWARDING A CONTRACT TO GALLS, LLC FOR THE FURNISHING AND DELIVERY OF UNIFORMS FOR TRENTON POLICE FOR THE DEPARTMENT OF POLICE FOR A PERIOD OF ONE (1) YEAR FROM THE DATE OF AWARD IN AN AMOUNT NOT TO EXCEED \$112,500.00 WITH THE OPTION TO EXTEND ONE (1) ADDITIONAL YEAR- BID2025-54

B. The contract shall be submitted with contracts with the following:

UPDATED CERTIFICATE OF INSURANCE WITH SIGNED CONTRACTS

Such performance by Contractor will be in strict accordance with the terms and conditions of the bid specifications, the bid response and the authorizing resolution, which are included above and is incorporated by reference. Additionally, Contractor will furnish good and ample security in a sum equal to the said contract price for the said articles and services.

SECOND. The City of Trenton will pay Contractor the total sum mentioned herein when the appropriate Department Director has executed a certification that the said articles or services have been furnished, delivered, and accepted in full conformity to the aforementioned specifications and offer or proposal.

THIRD. The City of Trenton reserves the right to order a greater or lesser quantity, not to exceed twenty-five percent, of any or all of the articles named in the said offer or proposal than is stated therein, and it is distinctly agreed between the said parties that the price quoted in the offer or proposal of Contractor shall be regarded as a standard of prices, and the total sum mentioned herein as the consideration of this contract shall not be regarded as limiting the right of the City of Trenton to order such greater or lesser quantity.

FOURTH. In the event of the failure of Contractor to deliver to the City of Trenton, such articles or perform such work or labor as described in such quantities as ordered at the time stated for such delivery by the City of Trenton, or in the event that such articles as are delivered or work and labor performed do not meet the specifications or standards, as established by the City of Trenton for such articles or acceptance of such work and labor, then such delivery shall be rejected by telephone or written notice to the Agent or address indicated by the Contractor and by simultaneous and like notice to his surety. Additionally, if Contractor or his surety does not cure the default within the time set by the said Agent on behalf of the City of Trenton, then the said Agent on behalf of the City, shall have the right to procure such services or purchase such articles in their place and stead in the open market as are needed for replacement, and from the best source available in the judgment of the said Agent and to charge the expense of such articles or work performed to Contractor and to deduct the amount thereof from any moneys due or to become due to Contractor by virtue of this agreement. Provided, however, that the surety on the bond of Contractor for the faithful performance of this agreement shall be first

notified of the necessity for such replacement and given the same time allowance for such replacement as is given Contractor.

FIFTH. This contract shall not be amended, assigned or subcontracted without the consent of the City of Trenton in writing (if the total compensation payable thereunder shall thereby exceed \$2,500.00, approval by Resolution of the Governing Body shall be required), and any breach of this convenient shall authorize the City of Trenton, by its said Agent, to declare this contract null and void and to refuse to make any further payments thereunder to Contractor.

SIXTH. In case of any conflict between the provisions of this agreement and of any of the provisions of the specifications, the latter shall govern and control.

Applicable for Public Construction Contracts Only: "Dispute Resolution Procedures (NJSA 40A:11-50). Disputes arising under this contract shall be subject to mediation or non-binding arbitration at the sole discretion of the City of Trenton, before a construction industry mediator or arbitrator or panels thereof. The City of Trenton shall have the right to select a third party to mediate any disputes arising under this agreement and the mediation shall be conducted informally in a manner decided upon by the mediator".

SEVENTH. Contractor hereby agrees to pay all workmen as a minimum the prevailing wages rate in accordance with Chapter 150 of the New Jersey Laws of 1963, Prevailing Wages on Public Contracts and U.S. Department of Labor Wage Rates with the higher rate for any given occupation being the governing rate, and N.J.S.A. 10:2-1 et seq., prohibiting discrimination in employment on public contracts.

EIGHTH. During the performance of this contract, the contractor agrees as follows:

a. CONTRACTOR or subcontractor, where applicable, will not discriminate against any employee or applicant for employment because of age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, or sex. CONTRACTOR will take affirmative action to ensure that such applicants are recruited and employed, and that employees are treated during employment, without regard to their age, race, creed, color, national origin, ancestry, marital status, gender identity or expression, affectional or sexual orientation, disability, nationality or sex. Such action shall include, but not be limited to the following: employment, up-grading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the contracting officer setting forth the provisions of this nondiscrimination clause. (N.J.S.A. 10:5-33; N.J.A.C. 17:27-3.4)

b. CONTRACTOR or subcontractor, where applicable will, in all solicitations or advertisements for employees placed by or on behalf of CONTRACTOR, state that all qualified applicants will receive consideration for employment without regard to age, race, creed, color, national origin, ancestry, marital status, gender identity or expression, affectional or sexual orientation, disability, nationality or sex. (N.J.S.A. 10:5-33; N.J.A.C. 17:27-3.4)

c. CONTRACTOR or subcontractor where applicable, will send to each labor union

or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice, to be provided by the agency contracting officer, advising the labor union or workers' representative of CONTRACTOR's commitments under this act and shall post copies of the notice in conspicuous places available to employees and applicants for employment. (N.J.S.A. 10:5-33; N.J.A.C. 17:27-3.4)

d. THE CONTRACTOR or subcontractor, where applicable, agrees to comply with any regulations promulgated by the Treasurer pursuant to P.L. 1975, c.127, as amended and supplemented from time to time. (N.J.A.C. 17:27-3.4)

Note: A public works contract for a subcontractor with a total work force of four or fewer employees or for a contractor or subcontractor performing under an existing Federally approved or sanctioned affirmative action program shall contain as mandatory language only paragraphs a, b, and c above, and the contract shall not contain any other mandatory language prescribed by N.J.A.C. 17:27. (N.J.A.C. 17:27-3.4) (c)

e. All bidders and all contractors who are negotiating for a procurement or service contract with the public agency which is not subject to a federally approved or sanctioned affirmative action program are required to submit to the public agency, prior to or at the time the contract is submitted for signing

by the public agency (in accordance with N.J.A.C. 17:27-4.3 promulgated by the Treasurer pursuant to P.L. 1975, c. 127), one of the following three documents:

1. Appropriate evidence that the contractor is operating under an existing federally approved or sanctioned affirmative action program; or

2. A certificate of employee information report approval issued in accordance N.J.A.C. 17:27-4; or

3. An initial employee information report consisting of forms provided by the affirmative action office and completed by the contractor in accordance with N.J.A.C. 17:27-4. (N.J.A.C. 17:27-3.3) (a)

f. CONTRACTOR or subcontractor agrees to attempt in good faith to employ minority and female workers consistent with the applicable county employment goals prescribed by N.J.A.C. 17:27-5.2 promulgated by the Treasurer pursuant to P.L. 1975, c. 127, as amended and supplemented from time to time or in accordance with a binding determination of the applicable county employment goals determined by the affirmative action office pursuant to N.J.A.C. 17:27-5.2 promulgated by the Treasurer pursuant to P.L. 1975, c. 127, as amended and supplemented from time to time. (N.J.A.C. 17:27-5.3) (a) (1)

g. CONTRACTOR or subcontractor agrees to inform in writing appropriate recruitment agencies in the area, including employment agencies, placement bureaus, colleges, universities, labor unions, that it does not discriminate on the basis of age, creed, color, national origin, ancestry, marital status or sex, gender identity or expression, and that it will discontinue the use of any recruitment agency which engages in direct or indirect discriminatory practices. (N.J.A.C. 17:27-5.3) (a) (2)

h. CONTRACTOR or subcontractor agrees to revise any of its testing procedures, if necessary, to assure that all personnel testing conforms with the principles of job-related testing, as established by the statutes and court decisions of the State of New Jersey, and as established by applicable Federal law and applicable Federal court decisions. (N.J.A.C. 17:27-5.3) (a) (3)

i. CONTRACTOR or subcontractor agrees to review all procedures relating to transfer, upgrading, downgrading and layoff to ensure that all such actions are taken without regard to age, creed, color, national origin, ancestry, marital status, or sex, and conform with the applicable employment goals, consistent with the statutes and court decisions of the State of New Jersey, and applicable Federal law and applicable Federal court decisions. (N.J.A.C. 17:27-5.3) (a) (4)

j. CONTRACTOR agrees that in the hiring of persons for the performance of work under this contract or any subcontract hereunder, or for the procurement, manufacture, assembling or furnishing of any such materials, equipment, supplies or services to be acquired under this contract, no contractor, nor any person acting on behalf of such contractor or subcontractor, shall, by reason of race, creed, color, national origin, ancestry, marital status, gender identity, or expression, affectional or sexual orientation or sex, discriminate against any person who is qualified and available to perform the work to which the employment relates. (N.J.S.A. 10:2-1) (a)

k. No contractor, subcontractor, nor any person on his behalf shall, in any manner, discriminate against or intimidate any employee engaged in the performance of work under this contract or any subcontract hereunder, or engaged in the procurement, manufacture, assembling or furnishing of any such materials, equipment, supplies or services to be acquired under such contract, on account of race, creed, color, national origin, ancestry, marital status, gender identity or expression, affectional or sexual orientation or sex. (N.J.S.A. 10:2-1) (b)

l. There may be deducted from the amount payable to the contractor by the contracting public agency, under this contract, a penalty of \$50.00 for each person for each calendar day during which such person is discriminated against or intimidated in violation of the provisions of the contract. (N.J.S.A. 10:2-1) (c)

m. This contract may be canceled or terminated by the contracting public agency, and all money due or to become due hereunder may be forfeited, for any violation of this section of the contract occurring after notice to the contractor from the contracting public agency of any prior violation of this section of the contract. (N.J.S.A. 10:2-1) (d)

n. The parties of this contract do hereby agree that the provisions of N.J.S.A. 10:2-1 through 10:2-4, dealing with discrimination in employment on public contracts, and the rules and regulations promulgated pursuant thereto, are hereby made a part of this contract and are binding upon them. (N.J.A.C. 13:6-1.1)

o. Contractor and subcontractor agree and guarantee to afford equal opportunity in performance of the contract and, except with respect to affectional or sexual orientation, and gender identity or expression in accordance with an affirmative action program approved by the State Treasurer. (N.J.S.A. 10:5-32 and 10:5-35) (a)

p. The parties of this contract do hereby agree that the provisions of Title II of the Americans with Disabilities Act of 1990, 42 U.S.C. Section 12101 et seq., which prohibits discrimination on the basis of disability by public entities in all services programs and activities provided or made available by public entities, and the rules and regulations promulgated pursuant thereto, are made a part of this contract. The contractor agrees to conduct all activities in compliance with the provisions of Title VI of the Civil Rights Act of 1964, the Rehabilitation Act of 1973, the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972, and the U.S. Department of Labor's regulations at 29 CFR Parts 31, 32 and 34.

Contractor shall cooperate with any state or federal reviews aimed at determining compliance with nondiscrimination laws and regulations authorized by State Law and expressly specified herein.

IN WITNESS WHEREOF, the City of Trenton has caused this agreement to be signed by the Mayor of the City of Trenton and its corporate seal to be hereto affixed, attested by the City Clerk, and Contractor has likewise caused this agreement to be executed the day and year first above written.

CITY OF TRENTON

Attest: 
Brandon L. Garcia, RMC
Municipal Clerk
10/30/25
Date


W. Reed Gusciora, Esq. Mayor
10.20.25
Date

and

GALLS LLC, 1340 RUSSELL CAVE ROAD, LEXINGTON, KENTUCKY 40505

CONTRACTOR SIGNATURE

Attest: 
Secretary


President

DATE

10/13/25

Date


CONTRACT AWARD

Upon opening bids, pricing shall remain firm for a period of sixty (60) calendar days. If the award is not made within sixty (60) calendar days, bidders may hold their bid consideration beyond sixty days or until the contract is awarded.

Check here if you are willing to hold the pricing consideration beyond sixty days or until the contract is awarded.

Check here if you are not willing to hold the pricing consideration beyond sixty days or until the contract is awarded.

AUTHORIZED SIGNATURE

A handwritten signature in black ink, appearing to read "Mark Fodder".

GALLS, LLC Trenton NJ BID 2025-64 Pricing Year 1 and Renewal Year 1

LINE NUMBER	Trenton Line Description	STYLE #	ITEM DESCRIPTION W/ ALL VAS	VENDOR ITEM #	VENDOR NAME	NET PRICE Year 1	NET PRICE Renewal Year 1
1	Baseball Hat	HW692	FLEXFIT PERFORMANCE CAP	6550 BLACK/XL	S & S Activewear	\$16.99	\$17.84
2	BDU Trouser	TR2735	MENS NJ STATE POLICE PANTS W/GOLD STRIPE	88274 32 30	BLAUSER MFG CO	\$90.00	\$94.50
3	Cross Strap	LR857	1 1/4 SHOULDER STRAP - UNLINED	1435PL NKL 48/50	PERFECT FIT	\$41.56	\$43.64
4	Wool Trouser	TR1399	7-POCKET WOOL BLEND TROUSERS W/REAR HIP POCKETS HAVE POINTED POCKET FLAP INSERTED INTO TOP WELT	8561PTT-5 4 32 30	Blauer Mfg Co	\$125.00	\$131.25
5	Dress Blouse	JX1009	TRENTON POLICE DEPT J400C DRESS BLOUSE 55/45 PW 13.5 OZ. W/SLV NJ BUTTONS	RENTON PD NAV CST	Hope Uniform & Security	\$700.00	\$735.00
6	Dress Hat	HW1945	PERSHING SERGE 400 VIS BLK STRAP DULL OVERHEAD W/BUCKLE NJ BTHNS FINISH CHOICE	R-801 NAV 658 SIL	Keystone Uniform Cap Corp	\$95.00	\$89.25
7	D-Rings	LR848	SHOULDER SLIDING D RING (PAIR)	S442B-PLAIN-SLVR	PERFECT FIT	\$12.50	\$13.13
8	Female Long Sleeves	SH13371	WOMENS US NJ CORRECTIONS POLYESTER/RAYON UNIFORM SHIRT	V7296 34	Lion First Responder/ Elbaco	\$76.84	\$80.69
9	Female Short Sleeves	SH13373	WOMENS SJ NJ CORRECTIONS POLYESTER/RAYON UNIFORM SHIRT	V7307 34	Lion First Responder/ Elbaco	\$63.48	\$66.65
10	Female Trouser	TR2131	NEW JERSEY SPECIAL POLY 6 POCKET WOMENS PANT	E8930LC 10 OB	Lion First Responder/ Elbaco	\$70.95	\$74.50
11	Short Sleeve Polo	SV5672	UFX TACTICAL US KNIT SJ SHIRT	K5134-L-T	Lion First Responder/ Elbaco	\$69.72	\$73.21
12	Long Sleeve Polo	SV585	UFX TACTICAL US KNIT SHIRT	K5144-L-T	Lion First Responder/ Elbaco	\$71.61	\$75.19
13	Male Long Sleeve	SH13370	MENS US NJ CORRECTIONS POLYESTER/RAYON UNIFORM SHIRT	V7295 14.5 33	Lion First Responder/ Elbaco	\$77.99	\$81.69
14	Male Short Sleeve	SH13372	MENS SJ NJ CORRECTIONS POLYESTER/RAYON UNIFORM SHIRT	V7305 14.5	Lion First Responder/ Elbaco	\$63.48	\$66.65
15	Male Trouser	ZR125	MENS TOP AUTHORITY PLUS TROUSERS	E8930RN 30 OB	Lion First Responder/ Elbaco	\$61.95	\$65.05
16	Name Plate	ZA1608	A4180 CUSTOM NAMEBAR	A4180 GP	VH BLACK/WHITE/IDS ETC	\$20.00	\$21.00
17	Rain Cap Cover	HA048	GORE-TEX REVERSIBLE HAT COVER, BLACK/FLUORESCENT YELLOW	9101 53 UNIV 30	Blauer Mfg Co	\$16.99	\$17.84
18	Rain Coat	RW9790	REVERSIBLE LONG RAIN JACKET	9790 53 L 45	Blauer Mfg Co	\$344.99	\$362.24
19	Sam Browne Belt	LP1159	2 1/4 SAM BROWNE WAIST BELT	2044 34 SIL	PERFECT FIT	\$50.00	\$52.50
20	Tie	UA494	3IN POLYESTER CLIP ON TIE W/ BUTTONHOLE	90010 061 18 IN	SAMUEL BROOME UNIFORM ACCESSOR	\$5.00	\$5.25
21	Turtleneck	ST1468	BLAUER STREETGEAR TURTLENECK	8100X 4 L 30	Blauer Mfg Co	\$45.58	\$47.86
22	Trooper Hat	UA699	NO BID		NO BID	\$1.40	\$1.47
23	Whistles	UA699	PLASTIC POLICE WHISTLE	PWBS-1	Hamburger Woolen Co Inc		
24	Wind Breaker	JG591	BLAUER B-DRY 3-SEASON DUTY JACKET W/OUT PILE COLLAR STD SILVER P BUTTONS	6120 11 M 30	Blauer Mfg Co	\$220.27	\$231.28
25	Winter Coat	JA167	SPIEWAK PERFORMANCE SOFT JACKET W/ SIDE VENT ZIPPERS	S318Z 003 MD REG	I Spiewak	\$145.08	\$152.33
26	Winter Coat Liner	JA000	WEATHERTECH SYSTEMS AIRFLOW DUTY JACKET	SH3466 003 M REG	I Spiewak	\$232.03	\$243.63

**THIS CONTRACT SHALL BE AWARDED FOR A PERIOD OF
ONE (1) YEAR WITH AN OPTION
TO EXTEND ONE (1) ADDITIONAL YEAR**

	Unit Price per item	Unit Price (S-XL)	Unit Price 2X	Unit Price Size 3X or Larger
1) Baseball Hat	\$16.99			
2) BDU Trouser	\$90.00			
3) Cross Strap	\$41.56			
4) Wool Trouser	\$125.00			
5) Dress Bouse	\$700.00			
6) Dress Hat	\$85.00			
7) D-Rings	\$12.50			
8) Female Long Sleeves	\$76.84			
9) Female Short Sleeves	\$63.48			
10) Female Trouser	\$70.95			
11) Short Sleeve Polo	\$69.72			
12) Long Sleeve Polo	\$71.61			
13) Male Long Sleeve	\$77.99			
14) Male Short Sleeve	\$63.48			
15) Male Trouser	\$61.95			
16) Name Plate	\$20.00			
17) Rain Cap Cover	\$16.99			
18) Rain Coat	\$344.99			
19) Sam Browne Belt	\$50.00			
20) Tie	\$5.00			
21) Turtleneck	\$45.48			
22) Trooper Hat	NO BID			
23) Whistle	\$1.40			
24) Wind Breaker	\$220.27			
25) Winter Coat	\$145.08			
26) Winter Coat Liner	\$232.03			

**PROPOSERS SHALL SUBMIT AN ADDITIONAL PROPOSAL PAGE FOR THE OPTION TO EXTEND ONE
YEAR CONTRACT - SAME ITEMS**

YEAR 1 RENEWAL PRICES ON NEXT PAGE

TRENTON POLICE DEPARTMENT SPECIFICATIONS**BBALL HAT**

**THIS CONTRACT SHALL BE AWARDED FOR A
PERIOD OF ONE (1) YEAR WITH AN OPTION TO
EXTEND ONE (1) ADDITIONAL YEAR**

MANUFACTURER

Flex Fit

COLOR

Black

SIZE

S-M/L-XL

STRUCTURE

Revolutionary permacurv® Visor maintains proper shape and curve. Spandex woven through sweatband and entire crown for a perfect, comfortable fit. Spandex sweatband stretches easily, and then retains original shape.

EMBLEM

3" Trenton Police Department Emblem sewn on front of cap supplied by vendor at no additional charge to the department or officer.

TRENTON POLICE DEPARTMENT SPECIFICATIONS
BBALL HAT

MANUFACTURER

Flex Fit

COLOR

Black

SIZE

S-M/L-XL

STRUCTURE

Revolutionary permacurv® Visor maintains proper shape and curve. Spandex woven through sweatband and entire crown for a perfect, comfortable fit. Spandex sweatband stretches easily, and then retains original shape.

EMBLEM

3" Trenton Police Department Emblem sewn on front of cap supplied by vendor at no additional charge to the department or officer.

TRENTON POLICE DEPARTMENT SPECIFICATIONS
BDU TROUSERS

MANUFACTURER

Blauer

STYLE #

8819-7

COLOR

Dark Navy

SHELL FABRIC

6.8 oz. per square yard 2 X 1 twill weave in a 65% polyester / 35% cotton fiber blend with 10-12% filling stretch that is pre-cured for wrinkle resistance and treated with a soil-release finish. Machine washable and dry cleanable cotton blend provides user comfort, uniform appearance, durability, and easy care.
(Color: see specified garment color)

TRIM

9. Pocketing: 70/30 polyester cotton twill, not less than 3.0 oz. Sq. yd
10. Interlining: polyester non-woven.
11. Binding: polyester/cotton bias cut.
12. Waistband: polyester, spandex, nylon blend with double strip of silicone shirt grip
13. Stretch edge control.
14. Fly zipper: nylon coil #4.5 with auto lock slider
15. Drawstring: 100% Polyester gross grain ribbon.
16. Hook and eyes: nickel-plated.
17. Buttons: melamine, 22 ligne, matching shell fabric.
18. Stripe: 100% Polyester (Color: gold)

DESIGN AND CONSTRUCTION

19. Front quarter pockets, cargo side pockets, inverted double cord hip pockets with flaps, and Billy pocket on right rear thigh.
20. All pockets secured with bartacks.
21. 1 1/2" stripe sewn along outseam from bottom of waistband to hem, over side pocket flap and pocket bag.
22. Stretch waistband.
23. Interlined wide belt loops inserted in bottom of waistband and tacked at top, 3" opening.
24. Double hook and eye closure.
25. Quarter linings in front quarters.
26. Outlets in waistband (back) and thigh inseam.
27. Loose pattern through seat and thigh.
28. Finished hem with drawstring closure.
29. Tandem needle seat seam.
30. Seat, inseam, and out seams pressed open.
31. 10-12 stitches per inch (all seams).

STANDARD SIZE RANGE

32. Men's: Regular Length: even waist sizes 28 - 54; odd sizes 29 - 37
33. Women's: Regular Length: even dress sizes 2 - 24

MEASUREMENTS

34. Men's: Regular Length: Waist Size 36:

a. 1/2 Waist:	18
b. Seat:	(plus 0.25 inch)
23.75 0.25 inches)	(plus or minus
c. 1/2 Knee:	11.75
d. 1/2 Bottom Leg:	(plus or minus 0.25 inches)
8.875 (plus or minus 0.25 inches)	
e. Inseam:	34.5
inches)	(plus or minus 0.50
f. Out seam:	43.25
g. Front Rise:	(plus or minus 0.50 inches)
h. Back Rise:	10.75 (plus or minus 0.25 inches)
17 inches)	(plus or minus 0.25

35. Women's: Regular Length: Dress Size 12

i. 1/2 Waist:	15.25
j. Seat:	(plus 0.25 inch)
23 (plus or minus 0.25 inches)	
k. 1/2 Knee:	10.125
l. 1/2 Bottom Leg:	(plus or minus 0.25 inches)
8.5 (plus or minus 0.25 inches)	
m. Inseam:	30.5
0.50 inches)	(plus or minus
n. Out seam:	41 (plus or minus
0.50 inches)	
o. Front Rise:	11.325
(plus or minus 0.25 inches)	
p. Back Rise:	15.25 (plus or minus 0.25 inches)

CUSTOMIZATION

Trousers must be hemmed to the officer's inseam at no additional charge to the department or the officer. The trouser shall have a 1 1/2 inch Hamburger #420 gold shade sewn on the trouser at no additional charge.

TRENTON POLICE DEPARTMENT

VENDOR REQUIREMENTS

Vendor must maintain a warehouse inventory sufficient to supply the Trenton Police Department with uniforms for the duration of the contract.

All Trenton Police Department emblems and custom metal buttons must be supplied by the vendor at no additional cost to the department or Officer.

Vendor must maintain a password protected online store with all the bid items for use by the Trenton Police Department for online purchasing option.

Samples must supplied within five business days. If samples are not supplied within five business days, the bid will be rejected

MEASUREMENTS & FITTING

The successful bidder must be available to take individual measurements of all recruits a minimum of two (2) times at a place and time convenient to the Trenton Police Department. Try on garments must be available for each individual at time of measurement. Each uniform shall fit to the satisfaction of each individual. All alterations must be done at no charge to the department or officer.

PROXIMITY FOR FITTING

Vendor must be located within forty-five square miles of the city limits and provide personnel and/or location in sufficient quantity and quality to adequately take measurements and fittings. It will be required that the successful bidder must maintain a fully functioning uniform store at all times during the contract period.

ALTERNATE GARMENTS

All garments and trims must match existing department uniform exactly. If bidding an alternate, a sample must supplied within five business days. If samples are not supplied within five business days, the bid will be rejected.

Oversize Charges

Oversize charges must be listed under a separate cover and inserted after the last page of the price sheet.

AUTHORIZED DEALER

Each bidder shall submit a letter from each manufacturer stating the vendor is an authorized distributor when submitting the bid.

Vendor must disclose if any of their contracts have been voided or cancelled. If so, vendor must list the circumstances of void or cancellation.

TRENTON POLICE DEPARTMENT SPECIFICATIONS
SHOULDER STRAP

MANUFACTURER

COURTLAND BOOT JACK CO.

STYLE #

1435

STYLE

Weight: 8/9 oz.

Type: Top grain leather, 1 1/4" wide. Tapered at front to fit shoulder strap attachment
for attaching "D" ring on belt. Saddle lock stitching solid brass hardware.

**TRENTON POLICE DEPARTMENT SPECIFICATIONS
DAC/WOOL TROUSER**

MANUFACTURER

Blauer

STYLE NUMBER

8561P7

COLOR

NAVY

STYLE

Shall be made on a uniform pattern, having a plain front with straight front pockets, a dropped watch pocket, two club pockets, drop belt loops, and two back pockets with flaps.

SHELL FABRIC

14.0- 14.5 oz. per linear yard serge weave 75% Dacron polyester / 25% worsted wool with 10-12% mechanical filling stretch. Machine washable and dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care.

TRIM

Pocketing: 50/50 polyester cotton twill, not less than 4.1 oz. Sq. yd

Interlining: polyester non-woven.

Binding: polyester/cotton bias cut.

Waistband: polyester, spandex, nylon blend with double strip of silicone shirt grip.

Stretch edge control.

Fly zipper: nylon coil #5 with auto lock slider

Hook and eyes: nickel-plated.

Buttons: melamine, 22 ligne, matching shell fabric.

DESIGN AND CONSTRUCTION

On-seam straight front pockets, inverted double cord hip pockets with button tabs, two rear billy pockets, and a drop watch pocket. All pockets secured with bartacks. Stretch waistband with fly tab. Interlined wide 2 ¾" belt loops inserted in bottom of waistband and tacked at top.

Double hook and eye closure. Quarter linings in front quarters. Outlets in waistband (back) and thigh inseam. Tandem needle seat seam. Seat, inseam, and out seams pressed open. 10-12 stitches per inch (all seams). Permanent silicone adhesive creases, front and back

STANDARD SIZE RANGE

Men's: Regular Length: even waist sizes 28 - 54; odd sizes 31 - 37

Women's: Regular Length: even dress sizes 6 - 24

MEASUREMENTS

Men's: Regular Length: Waist Size 36:

1/2 Waist:	18
Seat:	(plus 0.25 inch)
24	(plus or minus 0.25 inches)
minus 0.25 inches)	
1/2 Knee:	10.875
	(plus or minus 0.25 inches)
1/2 Bottom Leg:	8.75
	(plus or minus 0.25 inches)
Inseam:	37
	(plus or minus 0.50 inches)
Out seam:	46.25
	(plus or minus 0.50 inches)
Front Rise:	10.375
	(plus or minus 0.25 inches)
Back Rise:	16.875
	(plus or minus 0.25 inches)

Women's: Regular Length: Dress Size 12

1/2 Waist:	15.25
Seat:	(plus 0.25 inch)
22.625	(plus or minus 0.25 inches)
1/2 Knee:	10.125
	(plus or minus 0.25 inches)
1/2 Bottom Leg:	8.5
	(plus or minus 0.25 inches)
Inseam:	35.875
	(plus or minus 0.50 inches)
Out seam:	45.875
	(plus or minus 0.50 inches)
Front Rise:	11.625
	(plus or minus 0.25 inches)
Back Rise:	15.25
	(plus or minus 0.25 inches)

CUSTOMIZATION

To be made of Hamburger Woolen goods, 55% polyester and 45% wool. The stripe shall be 1½" wide and topstitched to the trouser over the side seam. The stripe shall extend from under the cuff to the top of the waistband.

UPC IDENTIFICATIONS

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

FINISHING & PRESSING

All loose threads shall be removed. Trouser must be pressed completely and properly with the side seam, inseam, and seat seam pressed open. There must be a Jetclip clip attached to the top fly of the finished trouser.

CODE OF CONDUCT

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

**TRENTON POLICE DEPARTMENT SPECIFICATIONS
DRESS BLOUSE**

FABRIC

Reaford Mills #8330-8107 55% Dacron / 45% Wool Serge 13-13½ per linear yard to match Class A trousers.

DESIGN

Four button single breasted notch lapel. Two upper pleated patch pockets with 3 pt. flaps with snaps, tropical flap lining, Two lower bellow pockets. Three inch wide flaps with 1 button hole in flap. Back vent bi swing back. Silver belt hooks. 2" wide cloth belt sewn down center seam, 2" wide belt sewn around waist. Jacket to be fully lined with two inside pockets and Hymo Canvas front. Custom "Trenton Police" seal nickel buttons ligne 36 on jacket front and ligne 23 on pocket flaps, epaulets and sleeves to be supplied by vendor at no charge.

FINISHING & PRESSING

All loose threads shall be removed. Blouse must be pressed completely and properly.

UPC IDENTIFICATIONS

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

CODE OF CONDUCT

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

CUSTOMIZATION

Trenton Police Division Patch, supplied by vendor at no charge, to be sewn on left sleeve, centered 1" from the shoulder seam at no additional charge to the department or officer.

TRENTON POLICE DEPARTMENT SPECIFICATIONS
DRESS HAT

MANUFACTURER

Keystone Cap Company

STYLE #

R-801

DESIGN

The R-801 pershing cap is to be made from six piece pattern consisting of the tip, the band, a two quarter piece front and a two quarter piece back. Using a size 7 1/8 cap as a model, the tip will be oval shape 11" front to back and 10 1/4 side to side. The height of the front of cap (not including visor) will be 4 5/8". Dimensions will vary according to cap sizes.

CONSTRUCTION

The front and back quarters are to be sewn together and then sewn onto the outer band which is to measure 2 1/4" from where it meets the front and back quarters. The now attached quarters and outer band are to be sewn to the tip with a piping in between the tip and quarters. Sewn inside the piping will be a #2 galvanized metal wire for shape and stiffness.

MATERIAL

The outer material of the cap (tip, quarters, and outer band) will be M.J. Cahn #1933-0376 100% poly P&F navy blue serge.

INNER BAND

To be made from a black plastic of .040mm thickness cut 2 1/4 inch width.

FRONT SUPPORT

To be a muslin covered 1" wide twin wire stay inserted into a black vinyl heat seal pocket stay.

LINING

To be a quality fast dyed black taffeta or sateen and to be sewn to the underside of the tip of cap. A 3 3/4" x 3 3/4 clear vinyl diamond of .008 thickness shall be sewn to the lining.

VISOR

Shall be of a black .012 vinyl patent finish mounted on a .020 black plumper paper.

The bottom of the visor shall be constructed of fiberboard laminated with green vinyl leatherette. Around the edge there shall be a 1/4" black patent binding. The visor shape # 400. This visor will have a sharp droop.

EYELETS

There shall be a total of 5 black japanned brass eyelets. There will be 2 ventilation eyelets on each side of the cap approximately 1" from the side scam and 1 front badge eyelet approximately 3/4" up from the top of the band.

SWEATBAND

A perforated 1 1/4" wide brown reeded sweatband shall be machine sewn into the cap.

BUTTONS

Caps shall have 2 Silver custom Trenton Police buttons to fasten down cap straps. Hat buttons must be supplied by the vendor at no additional charge to the department or the officer.

STRAPS

Each cap is to get a front strap to be a 1/2" wide black plastic single strap with pointed loops Top Leather Strap with silver buckle.

SIZES

All caps are to be made in regular cap sizes: 7, 7 1/8, 7 1/4, etc...

TRENTON POLICE DEPARTMENT SPECIFICATIONS
D-RINGS

MANUFACTURER

COURTLAND BOOT JACK CO.

STYLE #

S4428

STYLE

Weight: 5/6 oz.

Type: 7/8" top grain leather with 1" wide detachable style with beveled and polished solid brass edges.

TRENTON POLICE DEPARTMENT SPECIFICATIONS
D-RINGS

MANUFACTURER

COURTLAND BOOT JACK CO.

STYLE #

S4428

STYLE

Weight: 5/6 oz.

Type: 7/8" top grain leather with 1" wide detachable style with beveled and polished solid brass edges.

TRENTON POLICE DEPARTMENT SPECIFICATIONS
FEMALE LONG SLEEVE SHIRT

MANUFACTURER

Elbeco

STYLE #

V7296

STYLE

It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the above listed shirt.

Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to the current listed shirt.

Shirts to be made to accommodate removable metal buttons on the pockets and shoulder straps. Shirts to have permanent military stitched-in creases.

TAILORING

It is imperative that this garment be constructed according to the principles set forth in the specification. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance. All sewing shall be with Dacron core thread to match shirt fabric.

The collar and cuffs are to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.

FABRIC

Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.

CREASING

Pockets and pocket flaps to be die creased to give uniform shape and size.

COLLAR

The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2".

The leaf shall be made of three pieces; two pieces of self cloth and one whole lining, which is to be fused to the top collar.

Collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. The stand shall fasten with one button and one horizontal buttonhole.

Innerstand and inner yoke to be made of a compatible Combed Cotton blended poplin fabric for additional comfort.

SLEEVES

To be straight and whole. The cuffs are to be 2-5/8" in width and to have two buttons on one end and one buttonhole on the other to allow for adjusting the cuff size. There is to be a $\frac{1}{4}$ " top stitch from top of cuff.

There shall be a banjo-shaped piece of self goods attached to the sleeve starting above the elbow and continuing down the sleeve forming the top sleeve facing.

The sleeve opening shall measure 3-3/4" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 1/2" wide. Button is to be placed on sleeve opening with corresponding buttonhole.

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

FRONT

The right front shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The center front shall contain six vertical buttonholes placed 3/4" from edge and 3-1/2" apart.

The button stand, 7/8" wide, shall be self-lined and placed on left side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.

BACK

There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin. Western single pointed yoke, 5-1/2" finish at center point.

POCKETS

To have two breast pockets with mitred corners to finish 5" wide and 5-1/2" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading. There shall be a small buttonhole in the pocket.

FLAPS

To have two scalloped flaps to finish 5-1/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/4" in width. Flaps to be interlined. There will be a matching button and a buttonhole sewn on the flap. Flap shall be made to accommodate removable metal buttons.

FLAP CLOSURE

The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

BADGE TAB

To be a patch of basic material on the outside of the left front about 3/4" above the center of the left pocket flap. The patch is to have two metal eyelets, 1-1/4" apart for the insertion of the badge. The patch shall measure 2-1/4"-X 1" wide.

SHOULDER STRAPS

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam. Accommodation for metal buttons provided with protective piece.

Permanent Creases:

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

INTERLINING

Top center to be lined with Pellon. Flaps and band to be EZ crease. Cuffs to be H'Press.

LABELS

Woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem.

Buttons:

All buttons shall be made from thermo-setting polyester material and must match fabric.

UPC IDENTIFICATIONS

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

FINISHING & PRESSING

All loose threads shall be removed. Shirt must be pressed completely and properly.

CODE OF CONDUCT

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime,

forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

CUSTOMIZATION

Trenton Police emblems must be supplied and sewn on by the vendor at no additional charge to the department or officer.

TRENTON POLICE DEPARTMENT SPECIFICATIONS
FEMALE SHORT SLEEVE SHIRT

MANUFACTURER

Elbeco

STYLE #

V7307

STYLE

It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the above listed shirt.

Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to the current listed shirt.

Shirts to be made to accommodate removable metal buttons on the fronts, pockets and shoulders. Shirts to have permanent military stitched-in creases.

TAILORING

It is imperative that this garment be constructed according to the principles set forth in this specification. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance. All sewing shall be with dacron core thread to match shirt fabric.

The collar shall be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.

FABRIC

Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.

CREASING

Pockets and pocket flaps to be die creased to give uniform shape and size.

COLLAR

Convertible collar shall be one piece and to measure 3-1/8" long at points and 1-5/8" wide at back. The collar shall be made with permanent collar stays.

The collar is to be constructed of two plies of basic material and one ply of D331 top fuse lining.

Collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. There shall be one horizontal buttonhole.

The collar and inner yoke to be lined with a compatible Combed Cotton blended poplin fabric for comfort. The collar lining shall be banana shaped.

SLEEVES

Sleeves are to be straight and whole and have a 1" hem. Finished length is 9".

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

FRONT

The right front shall have be 3-1/4" overlock edge revere, extending from the neckline to bottom hem, and containing 7 vertical buttonholes. The left front will be a fly front with a self-protective piece for removable buttons. It shall contain 7 buttons placed 3/4" from edge; first at neck, second 2-1/2" down, and the balance 3-1/2" apart. There will be small buttonholes under the 2nd through 6th buttons to accommodate removable buttons.

BACK

There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin. Western single pointed yoke, 5-1/2" finish at center point.

POCKETS

To have two breast pockets with mitred corners to finish 5" wide and 5-1/2" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading. There shall be a small buttonhole in the pocket.

FLAPS

To have two scalloped flaps to finish 5-1/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/4" in width. Flaps to be interlined. There will be a matching button and a buttonhole sewn on the flap. Flap shall be made to accommodate removable metal buttons.

FLAP CLOSURE

The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

BADGE TAB

To be a patch of basic material on the outside of the left front about 3/4" above the center of the left pocket flap. The patch is to have two metal eyelets, 1-1/4" apart for the insertion of the badge. The patch shall measure 2-1/4" X 1" wide.

SHOULDER STRAPS

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam. Accommodation for metal buttons provided with protective piece.

PERMANENT CREASES

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

INTERLINING

Flaps to be EZ crease. Collar to be lined with fusible interlining.

Labels:

Woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem.

BUTTONS

All buttons shall be made from thermo-setting polyester material for durability and must match

fabric.

UPC IDENTIFICATIONS

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

FINISHING & PRESSING

All loose threads shall be removed. Shirt must be pressed completely and properly.

CODE OF CONDUCT

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

CUSTOMIZATION

Trenton Police emblems must be supplied and sewn on by the vendor at no additional charge to the department or officer.

**TRENTON POLICE DEPARTMENT SPECIFICATIONS
FEMALE TROUSERS**

MANUFACTURER

Elbeco

STYLE #

E8930LC

FABRIC

Milliken 704892 – 100% Polyester. Color: Dark Navy Blue.

STYLE

Shall be made on a Ladies Choice pattern, featuring a contour waistband with elastic side panels, shortened rise, and reshaped hip and seat. The trousers have a plain front with straight front pockets, a dropped watch pocket, two club pockets, regular belt loops, and two back pockets.

POCKETS

The straight front pocket opening will be a minimum 6 $\frac{1}{2}$ " and be 10" deep. They shall be stitched, turned, and restitched. The inside front pocket facing shall be a separate piece of self material finishing no less than 1 $\frac{1}{4}$ " wide. The back pockets will have a minimum opening of 6" and be 6" deep. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. The corners of the back pocket shall have triangular bartacks for reinforcing strength.

The watch pocket shall be located on the right front 2 $\frac{1}{2}$ " below the waistband. This pocket shall have a minimum opening of 3 $\frac{1}{2}$ " and depth of 3 $\frac{1}{2}$ ". The front of the pocket shall be made of pocketing fabric and the back of the pocket shall be made of basic fabric and the two pieces are securely stitched together. Each corner of the pocket opening shall have firm straight bartacks.

There shall be two club pockets each, located 3" below each hip pocket. The club pocket shall be 1 $\frac{1}{4}$ " from the side seam with a minimum opening of 3 $\frac{1}{2}$ " and a minimum depth of 7 $\frac{1}{2}$ ". Pocketing material to be the same as side and hip pockets. Club pockets shall be constructed using the double welt method on a Reece PW machine and finished in such a manner that there is no topstitching. The corners of the club pocket shall have triangular bartacks for reinforcing strength.

POCKET FLAPS

Pocket flaps are to be sewn on both rear pockets at no extra charge to the department or officer. They measure 4-7/8" wide, 2-1/4" at center point and 1-3/8" at sides. Flaps are lined and have a keyhole buttonhole in the center.

POCKETING

All pocketing shall be black 65% Polyester/35% Cotton with a minimum thread count of 68 x 54. The weight shall be 2.60 yds./lb.

WAISTBAND

Must be Ladies Choice construction for superior comfort and performance. The curtain, attached with a rocap machine, shall be made of black, bias-cut, cotton blended twill and shall have $\frac{1}{2}$ " shirt retention strip. Inside the waistband shall be two pieces of breathable non-woven stretch canvas for support. Waistband will also be fused for additional support. The finished waistband shall be 2" wide and shall be closed with a crush-proof hook and eye, the eye being bartacked for stability. There shall be 4" elastic sewn into each side of the waistband for superior fit. The finished waistband shall be set on and shall be stitched below the lower edge through the outer fabric and the waistband curtain. No alternative waistband will be acceptable.

BELT LOOPS

There should be a five drop belt loops on sizes 8 and under, seven on sizes 10 and over. All loops shall be $\frac{1}{8}$ " wide. Except for the back loop, which shall be tacked on, all loops shall be caught in top and bottom of waistband and bartacked on bottom edge.

INNER FLY/CROTCH

The right fly and crotch linings shall be the same fabric and color as the waistband curtain. There shall be a non-woven interlining sewn to the fly to give additional stability and strength to the fly. The right fly lining shall be sewn to the left fly below the zipper and continue centered on the join seam across the inseam and end 1" onto the back seam.

There shall be a triple strength crotch reinforcement to prevent seam failure in the crotch and inseam area. The crotch shall be secured with two rows of stitching. One row is to be on the inside of the trouser, then turned and an additional row to be sewn on the outside of the trouser.

ZIPPER

The trousers shall be closed with a brass memory lock zipper and have a brass bottom stop at the base of the zipper chain. A straight bartack shall be sewn through from the outside of the garment to the inside at the bottom of the fly. It shall be sewn through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bartack located below the bottom zipper stop on the inside of the trouser.

SEAMING

The entire trouser is to be seamed with Polyester core or 100% Polyester spun thread. The seat seam shall be stitched with a tandem needle seat seaming machine.

LABELS

The trouser shall have a sewn-in woven label on the left hip pocket bag, containing fabric content and care instructions. A permanent size label shall be sewn to the woven label. There will be an outside waistband label, which shall be marked with lot number, size, fiber content, and cut number.

UPC IDENTIFICATION

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

FINISHING AND PRESSING

All loose threads shall be removed. Trouser must be pressed completely and properly with the side seam, inseam, and seat seam pressed open. There must be a Jetclip clip attached to the top fly of the finished trouser.

CODE OF CONDUCT

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

CUSTOMIZATIONS

The trouser shall have an 1 ½ inch Hamburger #420 gold shade The stripe shall run from the bottom of the waistband to the bottom of the trouser. Any alterations done to the trouser must be done on the vendor's premise and must be done to the satisfaction of the director of public safety or supervisor at no additional charge to the department or officer.

**TRENTON POLICE DEPARTMENT SPECIFICATIONS
LONG SLEEVE POLO SHIRT**

MANUFACTURER

Elbeco

STYLE #

K5144

COLOR

Navy

DESIGN

Shall be a loose fit polo style knit long sleeve shirt with gusseted side panels, three button front placket, full fashion knit collar, mic pockets on shoulders and a mic loop on placket. All measurements will be taken without stretching the material.

TAILORING

It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of proper tension and size so as to avoid puckering after the shirt has been laundered, and to give best durable press performance.

FABRIC

100% polyester circular knit Swiss pique, 7.25 oz. /sq. yd. Permanent X-EEDE performance must provide UV protection and wick moisture away from the body for superior comfort, thermal protection, ultimate dryness and enhanced performance. Fabric to be colorfast, abrasion resistant, and pill-proof. The permanent anti-microbial technology is odor, mildew and 99.9% bacteria resistant. Colors: white, black, navy, tan, red, spruce green, gray and royal blue.

COLLAR

The collar shall be a 7.25 oz. /sq. yd 100% polyester circular knit full fashion collar, with 2-3/4" points and permanent built-in stays placed along the edge for no-curl collar performance.

PLACKET

The 3-button placket shall be lined and finish 1-1/2" wide and 7" long. The bottom of the placket shall have a 1/2" stitched box, with a 1/2" mike loop sewn over the full width of the placket. The 3 buttons shall be evenly spaced on the placket with a horizontal buttonhole at the collar and vertical buttonholes for the two remaining buttons. The placket shall lap left over right.

BACK

There shall be a semi-circular patch measuring 4-1/2" at the widest point, sewn at the neckline, running 1/4" from each shoulder seam. The seam edge will be merrowed with single needle topstitching sewn around the edge. The heat transfer label will be applied to the inside of this patch below the collar.

SIDE PANELS

Gusseted side panels for increased comfort and mobility, 2-5/8" wide, made of self fabric, and shall be sewn to the front and back panels. The side panels shall extend from the bottom of the armhole to the bottom hem.

SLEEVES

Sleeves are to be long, one piece. Cuffs to be 2" wide, 1x1 circular knit rib w/Lycra, dyed to match body and knit collar. Sleeve setting and closing shall be done with a merrow stitch. There shall be a 1/4" topstitch around the armhole and next to cuff. The left sleeve shall have a pencil pocket, 2" wide x 6" long. This pocket will be divided into two compartments.

SHOULDER SEAM

Shoulder seams shall contain stretch elastic for increased mobility and be edge-stitched on the back. Both shoulders shall contain a mic pocket to be approximately 1-3/4" wide x 2" deep, sewn into the shoulder seam.

HEM

The bottom hem shall be 1" deep and topstitched.

THREAD

The thread for seaming, stitching, buttonholes and button sewing shall be cotton-covered Polyester core. The thread shall be stabilized so as not to shrink in boiling water more than 1.5%.

LABEL AND CARE INSTRUCTIONS

Each garment shall have a heat-seal brand label containing size, country of origin, care and content. A Ufx hang tag will be attached to the garment.

UPC IDENTIFICATION

A printed UPC bar code tag must be attached to every garment. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist the Agency in encoding UPC information.

PRESSING AND PACKING

Shirts shall be carefully completed in first class manner and individually packed in polyethylene bags. Shirts to be bulk packed.

CODE OF CONDUCT

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document

that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Finished Dimensions

Size:	XS	S	M	L	XL	2XL	3XL	4XL
Collar Length:	14	15	16	17	18	19	20	20
Chest:	36	40	44	48	52	56	60	64
Sweep/bottom:	37	41	45	49	53	57	61	65
Back Length:	28	29	30	31	32	33	34	35
Sleeve Length:	31½	32½	34	35	36	36½	36½	37

CUSTOMIZATION

Trenton Police patch shall be sewn on the left sleeve. Silver Trenton Police Cloth Badge shall be sewn on the left chest. The badge shall have the officers number embroidered on the bottom panel. Name shall be P.O. 1st initial last name in silver embroidery. All emblems and embroidery must be provided by the vendor at no additional cost to the department or the officer. Supervisor shirts shall be embroidered in the color gold.

TRENTON POLICE DEPARTMENT SPECIFICATIONS
MALE LONG SLEEVE SHIRT

MANUFACTURER

Elbeco

STYLE #

V7295

STYLE

It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the above listed shirt. Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to the current listed shirt.

Shirts to be made to accommodate removable metal buttons on the pockets and shoulder straps. Shirts to have permanent military stitched-in creases.

TAILORING

It is imperative that this garment be constructed according to the principles set forth in this specification. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance. All sewing shall be with Dacron core thread to match shirt fabric.

The collar and cuffs are to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.

FABRIC

Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.

CREASING

Pockets and pocket flaps to be die creased to give uniform shape and size.

COLLAR

The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2". The leaf shall be made of three pieces; two pieces of self cloth and one whole lining, which is to be fused to the top collar.

Collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. The stand shall fasten with one button and one horizontal buttonhole.

Innerstand and inner yoke to be made of a compatible Combed Cotton blended poplin fabric for additional comfort.

SLEEVES

To be straight and whole. The cuffs are to be 2-7/8" in width and to have two buttons on one end and two buttonholes on the other. There is to be a 1/4" top stitch from top of cuff.

There shall be a banjo-shaped piece of self goods attached to the sleeve starting above the elbow and continuing down the sleeve forming the top sleeve facing.

The sleeve opening shall measure 4-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 1/2" wide. Button is to be placed on sleeve opening with corresponding buttonhole.

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

FRONT

The left front shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The center front shall contain six vertical buttonholes placed 3/4" from edge and 3-1/2" apart.

The button stand, 7/8" wide, shall be self-lined and placed on right side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.

BACK

There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin. Western single pointed yoke, 5-1/2" finish at center point.

POCKETS

To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading. There shall be a small buttonhole in the pocket.

FLAPS

To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/4" in width. Flaps to be interlined. There will be a matching button and a buttonhole sewn on the flap. Flap shall be made to accommodate removable metal buttons.

FLAP CLOSURE

The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

BADGE TAB

To be a patch of basic material on the outside of the left front about 3/4" above the center of the left pocket flap. The patch is to have two metal eyelets, 1-1/4" apart for the insertion of the badge. The patch shall measure 2-1/4" X 1" wide.

SHOULDER STRAPS

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam. Accommodation for metal buttons provided with protective piece.

PERMANENT CREASES

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

INTERLINING

Top center to be lined with pellon. Flaps and band to be EZ crease. Cuffs to be H'Press.

LABELS

Woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem.

BUTTONS

All buttons shall be made from thermo-setting polyester material and must match fabric.

UPC IDENTIFICATIONS

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

FINISHING & PRESSING

All loose threads shall be removed. Shirt must be pressed completely and properly.

CODE OF CONDUCT

All garments must be produced in acceptable non-sweatshop working conditions. Verification

of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

CUSTOMIZATION

Trenton Police emblems must be supplied and sewn on by the vendor at no additional charge to the department or officer.

TRENTON POLICE DEPARTMENT SPECIFICATIONS
MALE SHORT SLEEVE SHIRT

MANUFACTURER

Elbeco

STYLE #

V7305

STYLE

It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the above listed shirt. Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to current listed shirt.

Shirts to be made to accommodate removable metal buttons on the fronts, pockets and shoulder straps. Shirts to have permanent military stitched-in creases.

TAILORING

It is imperative that this garment be constructed according to the principles set forth in this specification. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance. All sewing shall be with Dacron core thread to match shirt fabric.

The collar shall be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.

FABRIC

Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.

CREASING

Pockets and pocket flaps to be die creased to give uniform shape and size.

COLLAR

Convertible collar shall be one piece and to measure 3-1/4" long at points and 1-5/8" wide at back. The collar shall be made with permanent collar stays. The collar is to be constructed of two plies of basic material and one ply of D331 top fuse lining.

Collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar.

The collar and inner yoke to be lined with a compatible Combed Cotton blended poplin fabric for comfort. The collar lining shall be banana shaped.

SLEEVES

Sleeves are to be straight and whole and have a 1" hem. These shall be graded in length so as to finish from the shoulder seam as follows:

<u>Size</u>	<u>Finished Length</u>
14 and 14-1/2	9-1/2"
15, 15-1/2 and 16	10"
16-1/2 thru 18	10-1/2"
19 thru 20	11"

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

FRONT

The left front shall have be 3-1/4" overlock edge revere, extending from the neckline to bottom hem, and containing 7 vertical buttonholes. The right front will be a fly front with a self-protective piece for removable buttons. It shall contain 7 buttons placed 3/4" from edge and 3-1/2" apart. There will be small buttonholes under the 2nd through 6th buttons to accommodate removable buttons.

BACK

There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin. Western single pointed yoke, 5-1/2" finish at center point.

POCKETS

To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading. There shall be a small buttonhole in the

pocket.

FLAPS

To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/4" in width. Flaps to be interlined. There will be a matching button and a buttonhole sewn on the flap. Flap shall be made to accommodate removable metal buttons.

FLAP CLOSURE

The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

BADGE TAB

To be a patch of basic material on the outside of the left front about $\frac{3}{4}$ " above the center of the left pocket flap. The patch is to have two metal eyelets, 1-1/4" apart for the insertion of the badge. The patch shall measure 2-1/4" X 1" wide.

SHOULDER STRAPS

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam. Accommodation for metal buttons provided with protective piece.

PERMANENT CREASES

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

INTERLINING

Flaps to be EZ crease. Collar to be lined with fusible interlining.

LABELS

Woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be

sewn in bottom hem.

BUTTONS

All buttons shall be made from thermo-setting polyester material for durability and must match fabric.

UPC IDENTIFICATIONS

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

FINISHING & PRESSING

All loose threads shall be removed. Shirt must be pressed completely and properly.

CODE OF CONDUCT

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

CUSTOMIZATION

Trenton Police emblems must be supplied and sewn on by the vendor at no additional charge to the department or officer.

**TRENTON POLICE DEPARTMENT SPECIFICATIONS
MALE TROUSERS**

MANUFACTURER

Elbeco

STYLE #

E8950RN

FABRIC

100% Dacron Polyester, 11 ~ 11.5 oz. per linear yard. Serge Weave. Milliken 704892. Color: Dark navy blue.

STYLE

Shall be made on a uniform pattern, having a plain front with straight front pockets, a dropped watch pocket, two club pockets, drop belt loops, and two back pockets with flaps.

POCKETS

The front pocket opening will be a minimum 6½" and be 6" deep from the bottom of the opening. They shall be stitched, turned, and restitched. There shall be a non-woven interlining fused to the front pocket facing to give additional stability and strength to the pocket. The inside front pocket facing shall be a separate piece of self material finishing no less than 1¼" wide. Straight bartacks shall be used on front pockets.

The back pockets will have a minimum opening of 6" and be 6" deep. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. Both back pockets shall have a pointed flap with button/buttonhole closure. There shall be straight bartacks on the front and back pockets.

The watch pocket shall be located on the right front 2½" below the waistband. This pocket shall have a minimum opening of 3½" depth of 3¾". The front of the pocket shall be made of pocketing fabric and the back of the pocket shall be made of basic fabric and the two pieces are securely stitched together. Each corner of the pocket opening shall have triangular bartacks.

There shall two club pockets located 5½" below both hip pockets. The club pockets shall be 3½" and a minimum depth of 7½". Pocketing material to be the same as side and hip pockets. Club pockets shall be constructed using the double welt method on a Reece PW machine and be topstitched. The corners of the club pockets shall have triangular bartacks for reinforcing strength.

POCKETING

All pocketing shall be black 65% Polyester/35% Cotton with a minimum thread count of 70 x 48, weight is 4.3oz./sq. yd.

WAISTBAND

The waistband shall be the Duty Fit waistband, which provides an exact fit by stretching to the wearer's exact size. The inside waistband shall be made with charcoal wrapped woven elastine and have two tracks of 1/8" wide silicone for shirt retention. It measures 2½" and is attached with a rocap machine. Woven elastic banroll stiffener measuring 1" shall be sewn into the entire waistband to provide additional support.

The waistband is to be constructed using the closed method and shall measure 2" wide when finished. The waistband closure shall be accomplished with a double crush proof hook and eye, bartacked for stability. The hooks and eyes shall be reinforced with stays made of a non-woven fabric that are anchored by the top-stitching for the fly facing and curtain. This topstitching must be to the top of the waistband. The waistband must have a crack stitch for added strength. No alternative waistband will be acceptable.

BELT LOOPS

There should be a minimum of 5 drop belt loops on waist sizes 28, 29, 30, and a minimum of 7 lined loops on all sizes over 30. The drop loops shall be caught in top and bottom of waistband and bartacked on bottom edge. All loops shall be 1" wide.

INNER FLY/CROTCH

The right fly and front crotch linings shall be the same fabric and color as the waistband curtain. There shall be a non-woven interlining sewn to the fly to give additional stability and strength to the fly. The right fly lining shall be sewn to the left fly below the zipper and continue centered on the join seam across the inseam and end 1" onto the backseam. The crotch lining shall be serged to each front. A separate french fly made of the outer fabric shall be sewn to the inside right fly.

There shall be a triple strength crotch reinforcement to prevent seam failure in the crotch and inseam area. The crotch shall be secured with two rows of stitching. One row is to be on the inside of the trouser, then turned and an additional row to be sewn on the outside of trouser.

ZIPPER

The trousers shall be closed with a brass memory lock zipper and have a brass bottom stop at the base of the zipper chain. A straight bartack shall be sewn through from the outside of the garment to the inside at the bottom of the fly. It shall be sewn through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bartack located below

the bottom zipper stop on the inside of the trouser.

SEAMING

The entire trouser is to be seamed with Polyester core or 100% Polyester spun thread. The seat seam shall be stitched with a tandem needle seat seaming machine.

LABELS

The trouser shall have a sewn-in woven label on the left hip pocket bag, containing fabric content and care instructions. A permanent size label shall be sewn to the woven label. There will be an outside waistband label, which shall be marked with lot number, size, fiber content, and cut number.

UPC IDENTIFICATIONS

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

FINISHING & PRESSING

All loose threads shall be removed. Trouser must be pressed completely and properly with the side seam, inseam, and seat seam pressed open. There must be a Jetclip clip attached to the top fly of the finished trouser.

CODE OF CONDUCT

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

FINISHED DIMENSIONS

Size/	28	29	30	31	32	33	34	35	36	37	38	40	42	44	46	48	50	52	54
Waist	38-1/4	39-1/8	40	40-7/8	41-3/4	42-5/8	43-1/2	44-3/8	45-1/4	46-1/8	47	48-7/8	50-5/8	52-5/8	54-1/2	56-1/4	58-1/8	60	61-7/8
Seat	9-7/8	10	10-1/8	10-1/4	10-3/8	10-1/2	10-5/8	10-3/4	10-7/8	11	11-1/8	11-3/8	11-5/8	11-7/8	12-1/8	12-3/8	12-5/8	12-7/8	13-1/8
Rise	25-3/8	25-7/8	26-1/4	26-5/8	27-1/8	27-1/2	28-1/8	28-7/8	29-1/4	29-3/8	30-5/8	31-1/2	32-3/8	33-1/4	34-3/8	35-1/2	36-1/4	37-1/8	
Thigh	19	19-1/4	19-1/2	19-3/4	20	20-1/4	20-1/2	20-3/4	21	21-1/4	21-1/2	22	22-1/4	23	23-1/2	24	24-1/2	25	25-1/2
Knee																			

CUSTOMIZATIONS

The trouser shall have an 1 ½ inch Hamburger #420 gold shade. The stripe shall run from the bottom of the waistband to the bottom of the trouser. Any alterations done to the trouser must be done on the vendor's premise and must be done to the satisfaction of the director of public safety or supervisor at no additional charge to the department or officer.

TRENTON POLICE DEPARTMENT SPECIFICATIONS
NAMEPLATE

MANUFACTURER

Blackinton

STYLE #

A4180

SIZE

$\frac{1}{2} \times 2 \frac{1}{2}$ "

STYLE

Officer nameplates shall be silver glossy clutch back with black Roman letters.

STYLE

Shall be made on a uniform pattern, having a plain front with straight front pockets, a dropped watch pocket, two club pockets, drop belt loops, and two back pockets with flaps.

UPC IDENTIFICATIONS

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

FINISHING & PRESSING

All loose threads shall be removed. Blouse must be pressed completely and properly.

CODE OF CONDUCT

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

**THIS CONTRACT SHALL BE AWARDED FOR A PERIOD OF
ONE (1) YEAR WITH AN OPTION
TO EXTEND ONE (1) ADDITIONAL YEAR**

	Unit Price per item	Unit Price (S-XL)	Unit Price 2X	Unit Price Size 3X or Larger
Baseball Hat				
BDU Trouser				
Cross Strap				
Wool Trouser				
Dress Bouse				
Dress Hat				
D-Rings				
Female Long Sleeves				
Female Short Sleeves				
Female Trouser				
Short Sleeve Polo				
Long Sleeve Polo				
Male Long Sleeve				
Male Short Sleeve				
Male Trouser				
Name Plate				
Rain Cap Cover				
Rain Coat				
Sam Browne Belt				
Tie				
Turtleneck				
Trooper Hat				
Whistle				
Wind Breaker				
Winter Coat				
Winter Coat Liner				

**PROPOSERS SHALL SUBMIT AN ADDITIONAL PROPOSAL PAGE FOR THE OPTION TO EXTEND ONE
YEAR CONTRACT - SAME ITEMS**

**TRENTON POLICE DEPARTMENT SPECIFICATIONS
RAINCAP COVER**

MANUFACTURER

Blauer

STYLE #

9101

COLOR

Black.Hi-Viz Yellow

SHELL FABRIC

Gore-Tex waterproof-breathable membrane laminated between a 2.18 oz. per square yard, 100% textured polyester, 70 denier plain weave face fabric (Color: see specified garment color) and a knit polyester tricot backing fabric (Color: see specified garment high visibility color) resulting in a washable waterproof material with high moisture vapor transmission.

TRIM

Elastic: 0.6875 inch elastic webbing, dry cleanable. (Color: black)

WATERPROOF-BREATHABLE PERFORMANCE

1. Moisture Vapor Transmission Rate (g/m²/24hr):
 - a. Procedure B (upright cup) 1/ 600 Minimum ASTM E 96-93
 - b. Procedure BW (inverted cup) 2/ 3600 Minimum ASTM E 96-93
2. Hydrostatic Resistance (psi): 3/ 140 Minimum FED-STD-191A 5512
3. Low Pressure Water Permeability:
 - a. Initial: 4/ No Leakage FED-STD-191A 5516
 - b. After Cold Flex: 5/ Warp No Leakage ASTM D 2097-69
 - (1980) 5/ Fill (1980) No Leakage ASTM D 2097-69
 - c. After 100 Hours of Continuous Wet Flex: 6/ No Leakage
4. High Pressure Water Permeability:
 - a. Initial: Method 29A 7/ No Leakage BS 3424: Part 26: 1990
 - b. After Exposure to Contamination: Method 29A 8/ No Leakage BS 3424: Part 26: 1990
 - c. After Synthetic Perspiration Method 29A 9/ No Leakage BS 3424: Part 26: 1990
5. Seam Tape Water Permeability:

a. Initial	No Leakage	FED-STD-191A 5516
ANSI/AATCC 135 <u>10/</u>	No Leakage	FED-STD-191A 5516

(Refer to Addendum for waterproof-breathable test methods)
(Measured Property Acceptance Criteria: For moisture vapor transmission rate and hydrostatic resistance, the mean of each sample unit must meet the requirement specified. The mean is the average of five cross-web specimens. For water permeability testing, each individual specimen must meet the requirement specified.)

DESIGN AND CONSTRUCTION

6. Design to fit an eight-point cap.
7. Elasticized edge.
8. Match GTX featherweight rainwear.

STANDARD SIZE RANGE

9. One size fits all.

**TRENTON POLICE DEPARTMENT SPECIFICATIONS
RAINCAP COVER**

MANUFACTURER

Blauer

STYLE #

9101

COLOR

Black.Hi-Viz Yellow

SHELL FABRIC

Gore-Tex waterproof-breathable membrane laminated between a 2.18 oz. per square yard, 100% textured polyester, 70 denier plain weave face fabric (Color: see specified garment color) and a knit polyester tricot backing fabric (Color: see specified garment high visibility color) resulting in a washable waterproof material with high moisture vapor transmission.

TRIM

Elastic: 0.6875 inch elastic webbing, dry cleanable. (Color: black)

WATERPROOF-BREATHABLE PERFORMANCE

1.	Moisture Vapor Transmission Rate (g/m ² /24hr):				
	a. Procedure B (upright cup)	600 Minimum	ASTM E 96-93		<u>1/</u>
	b. Procedure BW (inverted cup)	3600 Minimum	ASTM E 96-93		<u>2/</u>
2.	Hydrostatic Resistance (psi):	140 Minimum	FED-STD-191A 5512		<u>3/</u>
3.	Low Pressure Water Permeability:				
	a. Initial:	No Leakage	FED-STD-191A 5516		<u>4/</u>
	b. After Cold Flex:	Warp	No Leakage	ASTM D 2097-69 (1980)	<u>5/</u>
		Fill	No Leakage	ASTM D 2097-69 (1980)	<u>5/</u>
	c. After 100 Hours of Continuous Wet Flex:		No Leakage		<u>6/</u>
4.	High Pressure Water Permeability:				
	a. Initial:	No Leakage	BS 3424: Part 26: 1990 Method 29A		<u>7/</u>
	b. After Exposure to Contamination:	No Leakage	BS 3424: Part 26: 1990 Method 29A		<u>8/</u>
	c. After Synthetic Perspiration	No Leakage	BS 3424: Part 26: 1990 Method 29A		<u>9/</u>
5.	Seam Tape Water Permeability:				
	a. Initial	No Leakage	FED-STD-191A 5516		<u>10/</u>
	b. After 5 Laundry Cycles	No Leakage	FED-STD-191A 5516 ANSI/AATCC 135		<u>11/</u>

(Refer to Addendum for waterproof-breathable test methods)

(Measured Property Acceptance Criteria: For moisture vapor transmission rate and hydrostatic resistance, the mean of each sample unit must meet the requirement specified. The mean is the average of five cross-web specimens. For water permeability testing, each individual specimen must meet the requirement specified.)

DESIGN AND CONSTRUCTION

6. Design to fit an eight-point cap.
7. Elasticized edge.
8. Match GTX featherweight rainwear.

STANDARD SIZE RANGE

9. One size fits all.