

A G R E E M E N T
C I T Y O F T R E N T O N , N E W J E R S E Y

BID2023-30

RES. NO. 23-290

AWARDED TO

**GABRIELLI KENWORTH OF NEW JERSEY LLC., FOR THE PURCHASING OF ONE (1)
2024 KENWORTH MODEL T480 CHASSIS AND ONE (1) CURRENT MODEL STEPP MFG
OIL DISTRIBUTOR WITH ATTACHMENTS OR APPROVED EQUIVALENT FOR THE
DEPARTMENT OF PUBLIC WORKS**

This Agreement, entered into this 23RD Day of JUNE 2023 between the City of Trenton, a municipal corporation of the State of New Jersey, ('CITY') 319 EAST STATE STREET, TRENTON, NEW JERSEY 08608 and GABRIELLI KENWORTH OF NEW JERSEY LLC., 2306 ROUTE 130 NORTH, DAYTON, NEW JERSEY 08810 (Contractor"), witnesseth that:

WHEREAS, Contractor has bid, proposed or offered to furnish and deliver to the City the materials, supplies and/or goods to perform the services **in an amount not to exceed \$271,082.27 for a period of one (1) year from date of award;**

FIRST, A. Contractor, under the penalty expressed in the bond hereinafter mentioned, will furnish, supply and deliver to the City of Trenton the following materials, supplies or services as authorized by:

**RESOLUTION ACCEPTING A BID AND AWARDING A CONTRACT TO GABRIELLI KENWORTH
OF NEW JERSEY LLC., FOR THE PURCHASING OF ONE (1) 2024 KENWORTH MODEL T480
CHASSIS AND ONE (1) CURRENT MODEL STEPP MFG OIL DISTRIBUTOR WITH ATTACHMENTS
OR APPROVED EQUIVALENT FOR A PERIOD OF ONE (1) YEAR FROM DATE OF AWARD IN
AN AMOUNT NOT TO EXCEED \$271,082.27
BID 2023-30**

B. The contract shall submit with contracts with the following:
UPDATED CERTIFICATE OF INSURANCE WITH SIGNED CONTRACTS

Such performance by Contractor will be in strict accordance with the terms and conditions of the bid specifications, the bid response and the authorizing resolution, which are included above and is incorporated by reference,. Additionally, Contractor will furnish good and ample security in a sum equal to the said contract price for the said articles and services.

SECOND. The City of Trenton will pay Contractor the total sum mentioned herein when the appropriate Department Director has executed a certification that the said articles or services have been furnished, delivered and accepted in full conformity to the aforementioned specifications and offer or proposal.

THIRD. The City of Trenton reserves the right to order a greater or lesser quantity, not to exceed twenty-five percent, of any or all of the articles named in the said offer or proposal than is stated therein, and it is distinctly agreed between the said parties that the price quoted in the offer or proposal of Contractor shall be regarded as a standard of prices, and the total sum mentioned herein as the consideration of this contract shall not be regarded as limiting the right of the City of Trenton to order such greater or lesser quantity.

FOURTH. In the event of the failure of Contractor to deliver to the City of Trenton, such articles or perform such work or labor as described in such quantities as ordered at the time stated for such delivery by the City of Trenton, or in the event that such articles as are delivered or work and labor performed do not meet the specifications or standards, as established by the City of Trenton for such articles or acceptance of such work and labor, then such delivery shall be rejected by telephone or written notice to the Agent or address indicated by the Contractor and by simultaneous and like notice to his surety. Additionally, if Contractor or his surety does not cure the default within the time set by the said Agent on behalf of the City of Trenton, then the said Agent on behalf of the City, shall have the right to procure such services or purchase such articles in their place and stead in the open market as are needed for replacement, and from the best source available in the judgment of the said Agent and to charge the expense of such articles or work performed to Contractor and to deduct the amount thereof from any moneys due or to become due to Contractor by virtue of this agreement. Provided, however, that the surety on the bond of Contractor for the faithful performance of this agreement shall be first notified of the necessity for such replacement, and given the same time allowance for such replacement as is given Contractor.

FIFTH. This contract shall not be amended, assigned or subcontracted without the consent of the City of Trenton in writing (if the total compensation payable thereunder shall thereby exceed \$2,500.00, approval by Resolution of the Governing Body shall be required), and any breach of this covenant shall authorize the City of Trenton, by its said Agent, to declare this contract null and void and to refuse to make any further payments thereunder to Contractor.

SIXTH. In case of any conflict between the provisions of this agreement and of any of the provisions of the specifications, the latter shall govern and control.

Applicable for Public Construction Contracts Only: "Dispute Resolution Procedures (NJSA 40A:11-50). Disputes arising under this contract shall be subject to mediation or non-binding arbitration at the sole discretion of the City of Trenton, before a construction industry mediator or arbitrator or panels thereof. The City of Trenton shall have the right to select a third party to mediate any disputes arising under this agreement and the mediation shall be conducted informally in a manner decided upon by the mediator".

SEVENTH. Contractor hereby agrees to pay all workmen as a minimum the prevailing wages rate in accordance with Chapter 150 of the New Jersey Laws of 1963, Prevailing Wages on Public Contracts and U.S. Department of Labor Wage Rates with the higher rate for any given occupation being the governing rate, and N.J.S.A. 10:2-1 et seq., prohibiting discrimination in employment on public contracts.

EIGHTH. During the performance of this contract, the contractor agrees as follows:

a. CONTRACTOR or subcontractor, where applicable, will not discriminate against any employee or applicant for employment because of age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, or sex. CONTRACTOR will take affirmative action to ensure that such applicants are recruited and employed, and that employees are treated during employment, without regard to their age, race, creed, color, national origin, ancestry, marital status, gender identity or expression, affectional or sexual orientation, disability, nationality or sex. Such action shall include, but not be limited to the following: employment, up-grading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. CONTRACTOR agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the contracting officer setting forth the provisions of this nondiscrimination clause. (N.J.S.A. 10:5-33; N.J.A.C. 17:27-3.4)

b. CONTRACTOR or subcontractor, where applicable will, in all solicitations or advertisements for employees placed by or on behalf of CONTRACTOR, state that all qualified applicants will receive consideration for employment without regard to age, race, creed, color, national origin, ancestry, marital status, gender identity or expression, affectional or sexual orientation, disability, nationality or sex. (N.J.S.A. 10:5-33; N.J.A.C. 17:27-3.4)

c. CONTRACTOR or subcontractor where applicable, will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice, to be provided by the agency contracting officer, advising the labor union or workers' representative of CONTRACTOR's commitments under this act and shall post copies of the notice in conspicuous places available to employees and applicants for employment. (N.J.S.A. 10:5-33; N.J.A.C. 17:27-3.4)

d. CONTRACTOR or subcontractor, where applicable, agrees to comply with any regulations promulgated by the Treasurer pursuant to P.L. 1975, c.127, as amended and supplemented from time to time. (N.J.A.C. 17:27-3.4)

Note: A public works contract for a subcontractor with a total work force of four or fewer employees or for a contractor or subcontractor performing under an existing Federally approved or sanctioned affirmative action program shall contain as mandatory language only paragraphs a, b, and c above, and the contract shall not contain any other mandatory language prescribed by N.J.A.C. 17:27. (N.J.A.C. 17:27-3.4) (c)

e. All bidders and all contractors who are negotiating for a procurement or service contract with the public agency which is not subject to a federally approved or sanctioned affirmative action program are required to submit to the public agency, prior to or at the time the contract is submitted for signing by the public agency (in accordance with N.J.A.C. 17:27-4.3 promulgated by the Treasurer pursuant to P.L. 1975, c. 127), one of the following three documents:

1. Appropriate evidence that the contractor is operating under an existing federally approved or sanctioned affirmative action program; or

2. A certificate of employee information report approval issued in accordance N.J.A.C. 17:27-4; or

3. An initial employee information report consisting of forms provided by the affirmative action office and completed by the contractor in accordance with N.J.A.C. 17:27-4. (N.J.A.C. 17:27-3.3) (a)

f. CONTRACTOR or subcontractor agrees to attempt in good faith to employ minority and female workers consistent with the applicable county employment goals prescribed by N.J.A.C. 17:27-5.2 promulgated by the Treasurer pursuant to P.L. 1975, c. 127, as amended and supplemented from time to time or in accordance with a binding determination of the applicable county employment goals determined by the affirmative action office pursuant to N.J.A.C. 17:27-5.2 promulgated by the Treasurer pursuant to P.L. 1975, c. 127, as amended and supplemented from time to time. (N.J.A.C. 17:27-5.3) (a) (1)

g. CONTRACTOR or subcontractor agrees to inform in writing appropriate recruitment agencies in the area, including employment agencies, placement bureaus, colleges, universities, labor unions, that it does not discriminate on the basis of age, creed, color, national origin, ancestry, marital status or sex, gender identity or expression, and that it will discontinue the use of any recruitment agency which engages in direct or indirect discriminatory practices. (N.J.A.C. 17:27-5.3) (a) (2)

h. CONTRACTOR or subcontractor agrees to revise any of its testing procedures, if necessary, to assure that all personnel testing conforms with the principles of job-related testing, as established by the statutes and court decisions of the State of New Jersey and as established by applicable Federal law and applicable Federal court decisions. (N.J.A.C. 17:27-5.3) (a) (3)

i. CONTRACTOR or subcontractor agrees to review all procedures relating to transfer, upgrading, downgrading and layoff to ensure that all such actions are taken without regard to age, creed, color, national origin, ancestry, marital status or sex, and conform with the applicable employment goals, consistent with the statutes and court decisions of the State of New Jersey, and applicable Federal law and applicable Federal court decisions. (N.J.A.C. 17:27-5.3) (a) (4)

j. CONTRACTOR agrees that in the hiring of persons for the performance of work under this contract or any subcontract hereunder, or for the procurement, manufacture, assembling or furnishing of any such materials, equipment, supplies or services to be acquired under this contract, no contractor, nor any person acting on behalf of such contractor or subcontractor, shall, by reason of race, creed, color, national origin, ancestry, marital status, gender identity, or expression, affectional or sexual orientation or sex, discriminate against any person who is qualified and available to perform the work to which the employment relates. (N.J.S.A. 10:2-1) (a)

k. No contractor, subcontractor, nor any person on his behalf shall, in any manner, discriminate against or intimidate any employee engaged in the performance of work under this contract or any subcontract hereunder, or engaged in the procurement, manufacture, assembling or furnishing of any such materials, equipment, supplies or services to be acquired under such contract, on account of race, creed, color, national origin, ancestry, marital status, gender identity or expression, affectional or sexual orientation or sex. (N.J.S.A. 10:2-1) (b)

l. There may be deducted from the amount payable to the contractor by the contracting public agency, under this contract, a penalty of \$50.00 for each person for each calendar day during which such person is discriminated against or intimidated in violation of the provisions of the contract. (N.J.S.A. 10:2-1) (c)

m. This contract may be canceled or terminated by the contracting public agency, and all money due or to become due hereunder may be forfeited, for any violation of this section of the contract occurring after notice to the contractor from the contracting public agency of any prior violation of this section of the contract. (N.J.S.A. 10:2-1) (d)

n. The parties of this contract do hereby agree that the provisions of N.J.S.A. 10:2-1 through 10:2-4, dealing with discrimination in employment on public contracts, and the rules and regulations promulgated pursuant thereto, are hereby made a part of this contract and are binding upon them. (N.J.A.C. 13:6-1.1)

o. Contractor and subcontractor agree and guarantee to afford equal opportunity in performance of the contract and, except with respect to affectional or sexual orientation, and gender identity or expression in accordance with an affirmative action program approved by the State Treasurer. (N.J.S.A. 10:5-32 and 10:5-35) (a)

p. The parties of this contract do hereby agree that the provisions of Title II of the Americans with Disabilities Act of 1990, 42 U.S.C. Section 12101 et seq., which prohibits discrimination on the basis of disability by public entities in all services programs and activities provided or made available by public entities, and the rules and regulations promulgated pursuant thereto, are made a part of this contract. The contractor agrees to conduct all activities in compliance with the provisions of Title VI of the Civil Rights Act of 1964, the Rehabilitation Act of 1973, the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972, and the U.S. Department of Labor's regulations at 29 CFR Parts 31, 32 and 34.

Contractor shall cooperate with any state or federal reviews aimed at determining compliance with nondiscrimination laws and regulations authorized by State Law and expressly specified herein.

IN WITNESS WHEREOF, the City of Trenton has caused this agreement to be signed by the Mayor of the City of Trenton and its corporate seal to be hereto affixed, attested by the City Clerk, and Contractor has likewise caused this agreement to be executed the day and year first above written.

CITY OF TRENTON

Attest:


Brandon L. Garcia, RMC
Municipal Clerk

Date

9/5/2023


W. Reed Gusciora, Esq. Mayor

Date


8.29.23

and

GABRIELLI KENWORTH OF NEW JERSEY LLC., 2306 ROUTE 130 NORTH, DAYTON, NEW JERSEY 08810

Attest:


Secretary


President

Date

8/9/23

RESOLUTION No. 23-290

Date of Adoption JUN 22 2023

Approved as to form and Legality

WESLEY BRIDGES, ESQ., DIRECTOR OF LAW

Councilman /woman

Factual content certified by

WAHAB ONITIRI, DIRECTOR OF PUBLIC WORKS

John J. Frisby
Richard J. Williams

**RESOLUTION ACCEPTING A BID AND AWARDING A CONTRACT TO
GABRIELLI KENWORTH OF NEW JERSEY LLC., FOR THE PURCHASING OF
ONE (1) 2024 KENWORTH MODEL T480 CHASSIS AND ONE (1) CURRENT
MODEL STEPP MFG OIL DISTRIBUTOR WITH ATTACHMENTS OR
APPROVED EQUIVALENT FOR A PERIOD OF ONE (1) YEAR FROM DATE OF
AWARD IN AN AMOUNT NOT TO EXCEED \$271,082.27**

BID 2023-30

WHEREAS, two (2) sealed bids were received in the Division of Purchasing on April 12, 2023 at 11:00am, by the Purchasing Agent for the purchasing of one (1) 2024 Kenworth Model T480 Chassis and one (1) Current Model Stepp MFG Oil Distributor with attachments or approved equivalent for a period of one (1) year from date of award for the City of Trenton, Department of Public Works, Division of Streets; and

WHEREAS, the bid of Gabrielli Kenworth of New Jersey LLC., 2306 Route 130 North, Dayton, New Jersey 08810 is made pursuant to advertisement, be and is hereby accepted, as the responsive, responsible bidder complying with terms and specifications on file in the Division of Purchasing; and

WHEREAS, funds in an amount not to exceed \$271,082.27 have been certified to be available in the following account numbers: C-04-18-55-030L-019 (175,000.00); C-04-20-55-008L-004 (83,283.99); C-04-20-55-008L-011(12,798.28) for a period of one (1) year from date of award; and

NOW, THEREFORE, IT IS RESOLVED, by the City Council of the City of Trenton that the Mayor is hereby authorized to execute contracts with Gabrielli Kenworth of New Jersey LLC., 2306 Route 130 North, Dayton, New Jersey 08810 in an amount not to exceed \$271,082.27 for the purchasing of one (1) 2024 Kenworth model T480 Chassis and one (1) Current Model Stepp MFG Oil Distributor with attachments or approved equivalent for a period of one (1) year from date of award for the City of Trenton, Department of Public Works, Division of Streets; for the said purposes in the manner prescribed by law.

	Aye	Nay	Abstain	Absent		Aye	Nay	Abstain	Absent		Aye	Nay	Abstain	Absent
EDWARDS	✓				GONZALEZ	✓				FRISBY	✓			
FELICIANO	✓				HARRISON	✓								
FIGUEROA KETTENBURG	✓				WILLIAMS	✓								

This Resolution was adopted at a Meeting of the City Council of the City of Trenton on JUN 22 2023

John J. Frisby
President of Council

Z. M. M.
City Clerk

**DEPARTMENT OF PUBLIC WORKS, DIVISION OF STREETS
SPECIFICATIONS FOR ONE (1) 2024 KENWORTH MODEL T480 CHASSIS
AND ONE (1) STEPP MFG OIL DISTRIBUTOR
WITH ATTACHMENTS OR APPROVED EQUIVALENT**

The Department of Public Works, Division of Streets is soliciting bids for the purchase and delivery of one (1) 2024 Kenworth Model T480 Chassis and one (1) current model Stepp MFG Oil Distributor with attachments or approved equivalent. The purpose of this equipment is to be used during the City of Trenton's paving season to spray asphalt emulsion-based products.

The awarded contractor will be responsible for coordinating the complete assembly of this equipment prior to delivery. If bidding equivalent prospective bidder must provide specifications, including year, make, model, images, etc. of proposed equipment, chassis and oil distributor.



2024 KENWORTH MODEL T480 CHASSIS OR APPROVED EQUIVALENT

Vehicle Summary

	Unit		Chassis
Model:	T480 Series Conventional	Fr Axle Load (lbs.):	13200
Type:	FULL TRUCK	Rr Axle Load (lbs.):	23000
Description 1:	T480 4X2 ASPHALT DSTR.	G.C.W. (lbs.):	36200
Intended Serv.:	Application	Road Conditions:	
	Construction: Vehicles used in the cons Asphalt	Class A (Highway)	89
Commodity:		Class B (Hwy/Mtn)	10
		Class C (Off-Hwy)	1
		Class D (Off-Road)	0
Type:	Body	Maximum Grade:	6
Length (ft):		Wheelbase (in):	188
Height (ft):		Overhang (in):	85
Max Laden Weight (lbs.):		Fr Axle to BOC (in):	67.5
No. of Trailer Axles:	Trailer	Cab to Axle (in):	120.5
Type:		Cab to EOF (in):	205.5
Length (ft):		Overall Comb. Length (in):	313
Height (ft):			
Kingpin Inset (in):			
Corner Radius (in):			
Length (ft):	Restrictions		
Width (in):			
Height (ft):			

Model

Sales Code	Standard/ Option	Description
0000480	S	T480 Series Conventional
0071000	O	T480 Aero Hood
0080050	O	CARB Idle Emissions Reduction Feature for PX-7 and PX-9
0090161	O	T480 Single Rear
0098430	O	State of Registry: New Jersey

Engine & Equipment

0130208	O	PX-9 350 350@1750 1050@1200, 2021 With Turbo Exhaust Brake (VGT Brake).
---------	---	--

N09420 C333 0.....Reserve Speed Limit Offset (
 N09380 C334 0 Maximum Cycle Distance (N202
 N09360 C400 252...Reserve Speed Function Reset
 N09200 C399 120...Standard Maximum Speed Limit
 N09400 C401 10 ...Maximum Active Distance (N20
 N09220 C402 0.....Expiration Distance (N207)
 N09540 C395 0.....Expiration Distance (N209)
 N09260 C121 64....Max Vehicle Speed in Top Gearing
 N09440 C234 YES .. Engine Protection Shutdown
 N09460 C231 NO....Gear Down Protection
 N09580 C133 5 Idle Shutdown Time
 N09680 C233 YES... Idle Shutdown Override
 N09480 C132 1400.Max PTO Speed
 N09300 C128 64....Max Cruise Control Speed
 N09500 C239 NO....Cruise Control Auto Resume
 N09520 C238 NO.... Auto Engine Brake in Cruise
 N09780 C190 80....High Ambient Temperature Thru
 N09740 C188 40....Low Ambient Temperature Thru
 N09760 C189 60....Intermediate Ambient Temperature
 N09720 C382 YES...Enable Hot Ambient Automatic
 N09600 C396 YES...Enable Impending Shutdown Warning
 N09620 C397 60....Timer for Impending Shutdown
 N09640 C206 35 ...Engine Load Threshold
 N09560 C225 YES...Enable Idle Shutdown Park Brake

1000047	O	CARB Emissions Warranty Engine
1000151	S	Premier Spec
1000243	O	Gearing Analysis: Performance power before economy results.
1000256	O	Customer's Typical Operating Speed: 64 MPH
1000684	N/A	Effective VSL Setting NA
1000857	O	Engine Idle Shutdown Timer Enabled
1000859	O	Enable EIST Ambient Temp Overrule
1000891		Eff EIST NA Expiration Miles
1002060	S	Air compressor: Cummins 18.7 CFM For Cummins And PACCAR PX engines.
1041399	S	Air Cleaner: MD Composite Engine Mounted
1105231	S	Fan Hub: Horton On/Off for PX-9 or L9N
1121231	S	Cooling Module: 2.1M MD - Aero Hood 1000 Square Inches
1247234	O	EXH: 2021 RH Under DPF/SCR with RH SOC Vertical tailpipe. Not 2.1m high roof sleepers
1290130	O	Tailpipe: 5 in. single 30 in. 45 degree curved.
1321102	S	Fuel Filter: PACCAR 2.1M MD for PX-7 or PX-9 Fuel/water separator for 2021 and later engines.

1321200	S	Run Aid: None *For Fuel Filter
1321305	O	Start Aid:12V Heat. *For Fuel Filter
1500029	O	Kenworth Fuel Cooler Required for Cummins engines with a single fuel tank. Required for PACCAR MX-13 engine with a single fuel tank and stationary use: High RPM, low vehicle speed, sustained for longer than 1 hour. Optional for all other applications.
1504006	O	Block heater: PACCAR 750-watt 120V for PX-7 and B6.7N. 1000 watt for PX-9 and ISL9 engines.
1816260	S	Alternator: PACCAR 160-amp, brush type
1821271	O	Batteries: 2 AGM GP31 threaded post 1850 CCA For 2.1m with In Cab Battery Box (ICBB) only
1836106	S	Mitsubishi 105P55 12V Starter with Cummins and PX PACCAR 12-volt electrical system. W/ centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded. Only for Cummins or PX engines.
1901005	O	Jump start terminals frame mounted BOC below top of frame flange.
1901018	S	Remote PTO/Throttle, 12-Pin, 250K, Back of Cab OR Back of Sleeper, J1939, Remote Control Provision

Transmission & Clutch

2011613	O	Transmission: Allison 3000RDS 6-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Requires a push button shift control code. Oil temperature gauge is standard on class 8 models. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.
2406452	O	Driveline: 2 Dana SPL170XL 1 center bearing
2409941	S	One Heavy-Duty One-Piece Aluminum crossmember This option upgrades an existing crossmember. The cost does not include the center bearing and bracket. Crossmember location will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.
2410018	O	Torque converter included w/Allison. Transmission.
2410114	O	Left hand PTO access, right hand dip stick tube. Allison 3000 series only.
2410153	O	Push Button Shifter Controls, Center Console Mounted for Allison Transmission. 2.1m Medium Duty only.
2410204	O	Allison Fuel Sense: Delete
2410212	O	Allison Transmission Mobile PTO Operation - Change max output speed to 4500 RPM
2410244	O	J1939 Park Brake Auto Neutral
2410310	O	Allison Neutral at Stop
2429358	O	Rear transmission support springs for transmission PTO applications are required to ensure that engine

flywheel housings are not overloaded when transmission PTOs are installed.

2429378 O Customer installed transmission PTO in the LH
Mounted position (8 o'clock) for Allison 3000 & 4000 transmissions.

Front Axle & Equipment

2512048 O Meritor MFS13 PLUS 13.2K 3.5in. drop standard
track.

2621310 S Front Brakes: 14.6K Bendix ES s-cam 16.5x5 in.

2659047 O Front dust shield: for drum brakes:
all front axles.

2690002 S Front Brake Drums: 14.6K 16.5x5 in. cast.

2690029 O Drum Brake Knuckle for use on Meritor MFS PLUS
Steer Axle

2702500 S Front Hub: iron hub pilot 14,600 lbs.
11-1/4 in. bolt circle. For use w/ air disc brakes. Consider wheel guards
(5850002) w/ aluminum wheels.

2741970 S ConMet Preset Plus Hub package; front axle.

2750001 S Hubcap: front vented.

2765001 S Front Auto Slack Adjuster.

2864070 S Front Springs: Taper leaf 13.2K w/ shock absorbers
w/ maintenance-free elastomer spring pin bushings.

2895223 S Single power steering gear: 13.2K for air brakes.

2899336 O Power Steering Cooler: Radiator Mounted Air-to-Oil

Rear Axle & Equipment

3042160 S Single Meritor R23-160 rear axle rated at 23K.

3200614 O Rear Axle Ratio - 6.14.

3330004 S Single Rear Brakes 16-1/2x7 in. Bendix ES-
extended service S-cam.

3392001 O Single Rear Brake heavy duty Brake Drums: cast.
Use HD Gunite Drum when single axle with GAWR over 23,000 lbs. is selected.

3403220 S Single Rear Hubs: Iron hub pilot 11-1/4 in. bolt
circle.

3441971 S ConMet Preset Plus Hub package; single rear axle.

3465001 S Single Rear axle automatic slack adjusters.

3485007 S Spring Brake: 3030 long stroke single 3 in.
travel. Helps keep brakes in adjustment longer.

3490047 O Dust shields for drum brakes: all rear axles.

3495226 S Bendix 4S/4M anti-lock brake system.

3511080 O Meritor driver controlled differential lock for
single rear axle.

3636422 S Rear suspension: single Reyco 79KB taper leaf 23K

with helper spring. Medium duty. Unladen Height: 9 in. Laden Height: 7.3 in. Not rear air disc brake compatible.

3836310 O Rear shock absorbers for Reyco 79KB.

3836315 S Bolted rear suspension crossmembers for Reyco 79KB. Replaces medium duty standard.

Tires & Wheels

4030024 O Front Tires: Goodyear Endurance RSA 11R22.5 16PR

4238001 O Rear Tires: Goodyear Armor Max Pro Grade MSD 11R22.5 16PR

4900004 O Rear Tire Quantity: 4

5042285 O Front Wheel: Accuride 50344 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount.heavy-duty; 5 hand-hole; hub pilot mount.

5242285 O Rear Wheel: Accuride 50344 22.5x8.25 steel

Steel Armor[TM] powder coat, hub-pilot mount. Heavy-duty hub pilot mount. Code is priced per pair of wheels. 5 hand-hole

5850040 O Wheel guards: all axles.

5853906 O Powder coat white steel wheel. Use in conjunction with front, dual front, rear, spare or lift axle wheel code(s). on chassis must have same finish color. All wheels

5900004 O Rear Wheel/Rim Quantity: 4

Frame & Equipment

6056400 O Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 285in. to 336 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs. per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.

6302460 O Bumper: Tapered painted steel channel. Requires a bumper setting code.

6319040 S 40 in. Bumper setting. Requires a bumper code.

6321010 S Front tow loops: Two

6405000 O In-cab steel battery box: under rider seat or in standalone box. Requires appropriate AGM battery code, which varies by model, and appropriate rider seat code be selected prior to entering the work screen. Includes 1 battery disconnect switch.

6409906 O In-Cab battery box location: Under rider seat.

6451125 S DPF/SCR box natural end plates and natural cover.

6490139 S Heavy-duty one-pc aluminum intermediate/fill-in crossmember.

6490434 O Heavy-duty 5-piece rear cab support, bolted assembly. Huck fastened to frame.

6679858 O Final end-of-frame cut-off dimension will be

modified to 51 in. to 55 in.

6721102 S Rear mudflap arms: Betts B-25 standard-duty, straight. Includes B1732 mounting brackets as standard.

6722000 S Rear mudflap shields: White plastic antisail w/ Kenworth logo.

6742009 S Square end-of-frame w/o crossmember; non-towing.

Fuel Tanks & Equipment

7140050 O 50 US gallon D-Shape rectangular aluminum under fuel tank, replace. With non-slip step.

7722170 S Small DEF tank, 5.5 gallons.

7889203 O DEF to fuel fill ratio 2:1 or greater.

7889368 O Fuel tank drain plug.

7889606 O DEF tank location is LH under cab.

7920050 O Location: 50-gal fuel tank LH under cab

Cab & Equipment

8024311 S Cab: Stamped aluminum with curved windshield LED markers. Requires separate roof code.

8090154 O Hood: Short Aero w/ Chrome Crown

8108011 S Cab HVAC - Day Cab and 40in Sleeper System With Defrost, A/C, and 48,000 BTU/hr. Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper.

8201047 O Kenworth Smart wheel: 18 in. Non-Leather With Integrated Radio and Cruise Controls.

8201200 S Adjustable telescoping tilt steering column.

8203060 O 5 sets of keys. Replaces standard 2 sets of keys.

8205177 O Dash Switch: 1st Allison-mntd PTO. Electric switch and wiring are factory-installed to control the 1st Allison Trans mounted PTO.

8205283 O Info for C/I PTO: Chelsea 10 Bolt

8208497 O Four Spare Switches: Wired to Power.

8209999 O Spare Power Wiring for Customer Installed Devices Behind Dash Cluster. Includes 2 batt, 2 ign, 1 acc, 1 LVD at 20A each.

8222407 O Gauge: DD Virtual Gauge - Axle Temp Forward Rear or Single Rear

8222409 O Gauge: DD Virtual Gauge - Air Filter Restriction

8222413 O Gauge: DD Virtual Gauge - Manifold Pressure Boost

8222414	O	Gauge: DD Virtual Gauge - Engine Percent Torque
8222418	O	Gauge: DD Virtual Gauge - Engine Hours Instrument Cluster
8222419	O	Gauge: DD Virtual Gauge - Volts Instrument Cluster
8282024	S	Main Instrument Package: 7" Digital Display Cluster. Includes Physical (Analog): Speedometer, Tachometer, Oil Pressure, and Coolant Temp; and Digital: Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Volts Telltale, OAT and Primary Air Pressure, Secondary Air Pressure, and Air Application for air brake trucks.
8282108	O	Modular Dash Options: RH Dash storage unit with two shelves. Reduces total gauge count; HD by 6 and MD by 4.
8330591	S	Interior Trim Package: 2.1M MD Gray Foam Backing/Cloth Headliner W/Gray Sun visor & Seat Color Three Under dash Center Console Cupholders (Two If Allison Transmission Is Selected).
8410212	O	Driver Seat: KW Premium Air Seat HB Vinyl w/ Dual Armrests/Susp Cover/Isolator Lever/Seat Heater
8450102	O	Rider Seat: KW Battery Box Seat HB Vinyl w/o Armrests
8490161	O	SEAT COLOR: Black Replacing Standard Gray
8496559	O	Driver and Rider Seat Belts: Orange Seat Belts. Replacing standard color.
8601432	O	Kenworth Radio DEA710 AM/FM/WB/USB, Bluetooth
8698965	O	Speaker Package for Cab: (2) Speakers B-Pillar
8699934	O	CB Installation Kit: C/I Center Mtd of Header w/ Single Antenna on LH Mirror, low mount.
8700196	S	Turn Signal: Self-Cancelling
8700283	S	LH and RH Trip Ledge Rain Deflectors
8700501	O	Metal Int Door Panel Kick Plates
8700629	O	Single 1" Ram Ball Dash Mounted RH side of Radio Opening
8800260	O	Long grab handle RH side mounted to side-of-cab exhaust.
8800372	O	Grab handle: LH, Exterior, Side of Cab - Ergonomic Grab Handle Mounted to The Left-Hand Exterior of The Cab for Entry and Exit.
8800402	S	Dual Cab Interior Grab handles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grab handles
8832113	S	Kenworth Daylight Door with standard LH/RH electric door locks and LH/RH electric window controls.
8841411	S	Single air horn under cab.
8850139	S	Look-Down, Pass. Door, Black 11x6

8850812	O	Mirror: LH Hood Mounted, Round Convex, Chrome
8850813	O	Mirror: RH Hood Mounted, Round Convex, Chrome
8850842	S	Mirror Shell: Dual Aero In-Mold Black
8860852	O	Mirror: Dual KW Aero Rear View Motor, heated with Integral CX.
8871446	S	Rear cab stationary window 19in x 36in
8879917	O	Two additional outboard windows 19in x 12in
8890038	O	3.5in x 11.5in Plastic Records Holder: Mounted On Rear Cab Panel. Not available With Sleeper Or 2 Person Bench Seat.
8890101	S	One-piece bonded-in windshield with curved glass. Standard.
8890135	O	Exterior stainless steel sun visor.
8890874	O	Kenworth Cab Air Suspension.
8891009	O	Thermal/Sound Insulation Package
8891011	O	Roof: Raised Profile, Stamped Aluminum w/ Additional Head Room & Interior Overhead Storage

Lights & Instruments

9010803	S	Headlamps: Single Halogen Complex Reflector w/ Turn Indicator, Reflector and DRL. Fender Mtd.
9022137	S	Marker Lights: Five, rectangular, LED
9030052	S	LED Stop,Turn,Tail: With Two LED Backup Lights and With an LED License Plate.
9080125	O	Dual Rotating Roof Lights: Low-Profile LED beacon lights w/ overhead switch.
9090049	O	Omit Brake Light with Engine Brake. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.
9090180	O	Backup alarm: Taillight bracket mounted variable. self-adjusting 82-102 DBA.
9090316	O	Junction Box: End of Frame
9090849	O	Polyswitches replacing fuses. Switch will automatically reset after removal of excess load.

Air Equipment

9101219	O	Air Dryer: Bendix AD-HF Extended Purge Heated With Puraguard
9102040	O	Moisture ejection valve: Two Bendix DV-2 heated drain valves on service tanks. Use w/ AD-IS or AD-HF.
9140020	S	Nylon air tubing in frame & cab, excluding hoses subject to excessive heat or flexing.
9150170	O	Air tanks: aluminum replacing steel all tanks. *Not air tanks on lift axles.

Extended Warranty

9200008	S	Base Warranty - PACCAR PX-9 Engine 24 months / 250,000 miles / 402,336 km / 6250 hours.
9200022	O	Base Warranty - Standard Service Medium Duty 12 months / Unlimited miles & km
9201828	O	EW: US Basic Vehicle 5 year/100,000 miles, United States only.
9208588	O	PACCAR EW: PX-9 Protect Plan 1 CARB21 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.
9220006	O	Base Warranty: Emissions (CARB Surcharge) 5YR/150K MI - PX-9 Engine

Miscellaneous

9409852	O	GHG Secondary Manufacturer: Does Not Apply
9490003	O	Additional lead time required for off highway & /Or specialty component truck.
9490206	O	Warning triangle reflector kit: Shipped loose. Kit consists of 3DA triangles in plastic carrying case. Not floor mounted.
9490404	O	One 5 lb. dry chemical type fire extinguisher mounted outboard of driver seat. Class ABC.
9490645	O	Zinc Phosphate frame rail paint processing. Requires frame rail code. Code is for 1 pair of rails.
9491659	S	VMUX Architecture

Paint

9700000	O	Paint color number(s).
		N9702 A - L0568 DK GREEN N9770 BUMPER N0001 BLACK N9720 FRAME N0001 BLACK
9943014	O	Steel Bumper Painted Frame Color
9943050	S	Day Cab Standard Paint
9944820	S	Day Cab - White.
9960003	O	Non-standard paint color.
9965510	S	Base coat/clear coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.

**CURRENT MODEL STEPP MFG OIL DISTRIBUTOR
WITH ATTACHMENTS OR APPROVED EQUIVALENT**

- Diesel Burners
- Heavy Duty Construction
- 2000 Gallon Capacity
- Modular Design for Specific Customization
- Automatic Temperature Controls
- Beacon Style Strobe Light
- Washdown System
- Hose Reel for Washdown
- 25' Yellow Ortec Hose with Hose Reel
- 12' Spray Bar 2-2'Fold Out Wings attached to the 8'Center Bar
- LED Lights
- 1 Year Manufacturer's Warranty
- Operator and Parts Manual
- Standard Color

Equipment shall be furnished, fully assembled, serviced, and quality checked. Training for city staff shall be included in purchase price of this equipment which shall include unit operations, safety, and maintenance.

DEPARTMENT OF PUBLIC WORKS, DIVISION OF STREETS
SPECIFICATIONS FOR ONE (1) 2024 KENWORTH MODEL T480 CHASSIS
AND ONE (1) CURRENT YEAR STEPP MFG OIL DISTRIBUTOR
WITH ATTACHMENTS OR APPROVED EQUIVALENT

BID PROPOSAL FORM

We, the undersigned, propose to furnish and deliver the purchase of one (1) 2024 Kenworth Model T480 Chassis and one (1) current year Stepp MFG Oil Distributor with attachments or approved equivalent pursuant to the specifications and requirements and made part hereof:

TOTAL COST FOR AN ASSEMBLED 2024 KENWORTH MODEL T480 CHASSIS AND A CURRENT YEAR STEPP MFG OIL DISTRIBUTOR: \$ 271,082.27

Two Hundred Seventy One Thousand Eighty Two Dollars and Twenty Seven Cents

(Cost Spelled Out)

If bidding equivalent, list year, make model, etc. Bidder must provide specifications, including images of equivalent equipment.



(ORIGINAL SIGNATURE BY AUTHORIZED REPRESENTATIVE)

The undersigned is a Corporation, Partnership or Individual under the laws of the State of _____ having its principal office at _____

Gabrielli Kenworth of New Jersey, LLC

COMPANY

2306 Route 130 North Dayton, New Jersey 08810

ADDRESS

ADDRESS

26-1333549

FED. ID #

Tony Musciotto

NAME

201-641-4440 EXT 6527

TELEPHONE

201-641-5607

FAX

TMusciotto@gabriellitruc.com

EMAIL

04/11/2023

DATE